



**SANTA BARBARA REGIONAL
HEALTH AUTHORITY
FORMULARY LIST AND
CODE 1 DEFINITIONS OF
RESTRICTIONS**

Effective July 2001



SBRHA FORMULARY LIST - JULY 2001

A

A-200 Pyrinate
 Abacavir*
 Abacavir, Lamivudine, & Zidovudine*
 Acarbose
 Accolate
Accupril
 Accuzyme
 Acebutolol
 Acetaminophen
 Acetazolamide
 Acetic Acid
 Acetic Acid w/Aluminum Acetate
 Acetic Acid w/Hydrocortisone
Acetical
 Acetylcysteine
 Achromycin V
 Aciphex*
 Aclovate
 Actifed
 Actifed w/Codeine
 Actigall
 Actiq Lozenge*
 Activella
 Actonel
 Actos
 Acular
 Acyclovir*
 Adalat
Adderal*
 Adrenalin
 Adriamycin
Advair
 Aerobid
 Aerobid-M
 Agenerase*
 Agrylin
 AK-Neo-Dex
 Alamast
 Albuterol
 Alclometasone Dipropionate
 Aldactazide
 Aldactone
 Aldara
 Aldesleukin
 Aldomet
 Aldoril
 Alendronate Sodium
 Alesse
 Alitretinoin*
 Alkeran
 Allegra
 Allopurinol
 Alomide Ophth.
 Alphagan
 Alex
 Altace
 Alternagel
 Altretamine
 Alu-Cap

Alu-Tab
 Aluminum Acetate
 Aluminum Carbamate Gel, Basic
 Alum. Hydroxide Gel
 Alum. Hydroxide Magnesium, Hyd. & Simethicone
 Alupent
 Amantadine
 Amaryl
Ambenonium Chloride
 Ambenyl
Ambien
 Amikacin Sulfate
 Amikin
 Aminophylline
 Amiodarone
 Amitriptyline
 Amitriptyline HCL, Perphenazine
 Amlodipine/Benazepril HCL
 Amlodipine Besylate
 Amoxicillin/Clavulanate Potassium*
 Amoxicillin Trihydrate
Amphetamine, Mixed Salts*
 Amphojel
 Amphotericin B
 Ampicillin
 Amprenavir*
 Anafranil
 Anagrelide HCL
 Anastrozole
 Ancef
 Ansaid*
 Antabuse
 Antacids (most)
 Antiminth
 Antipyrine and Benzocaine
 Antivert
 Anturane
 Anzamet*
 APAP
 Apap w/Codeine
 Apraclonidine
 Apresoline
 Aquamephyton
 Aramine
 Arava
 Aredia
 Aricept*
 Arimidex
 Aristocort
 Arsenic Trioxide
 Artane
 Arthrotec*
ASA
 Asparaginase
Aspirin
Aspirin Chewable
Aspirin w/Codeine
Aspirin - long acting
 Astelin

Atacand
 Atapryl
 Atarax
 Atenolol
Ativan
 Atorvastatin Calcium
 Atovaquone*
 Atropine
 Atropisol
 Atrovent
 Augmentin*
 Auralgan
 Auranofin
 Aurothioglucose
 Avandia
 Avelox*
 Aventyl
 Azathioprine
 Azelastine
 Azithromycin*
 Azopt
 AZT
 Azulfidine

B

B-6 Tabs
 B-12 Injectable
 Bacitracin Ophth. Oint.
 Bacitracin Topical Oint.
 Bacitracin, Polymyxin Ophth. Oint.
 Baclofen
 Bactrim
 Basajjel
 Baycol
 Bay Rho-D*
 Beclomethasone Dipropionate
 Beclomethasone Dipropionate Monohydrate
 Belladonna Alkaloids w/Phenobarbital
 Benadryl
 Benazepril HCL
 Benemid
 Bentyl
 Benzoyl Peroxide
 Benzotropine Mesylate
 Betapace
 Betaxolol
 Betaxolol HCL Ophth. Drop
 Bethanechol Chloride
 Betimol
 Betoptic
 Bexarotene
 Biaxin*
 Biaxin XR*
 Bicalutamide
 BiCNU
 Bisacodyl Suppos.
 Bismuth Subsalicylate
 Bisoprolol Fumarate

Bitolterol Mesylate
 Blenoxane
 Bleomycin Sulfate
 Bleph-10
Blephamide
 Blocadren
 Bonine
 Brethaire
 Brethine
 Brevicon
 Bricanyl
 Brimonidine
 Brinzolamide
 Bromocriptine Mesylate
 Bromodiphenhydramine HCL w/Codeine
 Budesonide Inhalation
 Bupropion HCL
 Bupropion HCL SR*
 Buspar
 Buspirone
 Busulfan
Butalbital Caffeine Acetaminophen
Butalbital Caffeine Aspirin
 Butoconazole Nitrate

C

Cafergot
 Cafergot PB
 Calamine Lotion
 Calan
 Calcimar
 Calcipotriene
 Calcitonin-Salmon
 Calcitriol
Calcium Acetate
 Calcium Carbonate
 Calc. Carb. & Magnes. Carb.
 Calcium Gluconate
 Calcium Lactate
 Camptosar
 Candesartan Cilexetil
 Capoten
 Capecitabine
Capozide
 Captopril
Captopril/HCTZ
 Carafate
 Carbachol
 Carbamazepine
 Carbenicillin
 Carbox
 Carbidopa & Levodopa
 Carboplatin
 Cardene
 Cardizem
 Cardura
Carisoprodol*
 Carmustine

* indicates limitation in amount, time, or Specific Diagnosis Required (Code-1).

Normal Face indicates State of California (EDS) Formulary.

Bold Face indicates SBRHA Formulary only and/or different from EDS Formulary.

Carteolol HCL Oph. Soln.	Cisplatin	Cylert*	Dical-D
Carvedilol	Citalopram HBR	Cymevez*	Diclofenac Opth.
Casodex	Cladribine	Cytarabine	Diclofenac Sodium*
Catapres TTS	Clarithromycin*	Cytosar-U	Diclofenac Sod. and Misoprostol*
Catapres	Claritin Reditab & Syrup	Cytotec	Dicloxacillin Sodium
Ceclor*	Cleocin	Cytovene*	Dicyclomine
CeeNu	Cleocin T	Cytoxan	Didanosine*
Cefaclor*	Cleocin Vag. Cream		Dienestrol cream
Cefazolin Sodium	Climara Patches		Diethylstilbestrol
Cefdinir*	Clindamycin HCL	D	Diethylstilbestrol Diphosphate
Cefixime*	Clindamycin Phosphate	D-Penicillamine	Diflucan*
Cefonicid Sodium	Clinoril	Dacarbazine	Difunisal*
Cefprozil*	Clofazimine	Dactinomycin	Digoxin
Ceftazidime	Clomipramine HCL	Dalmane	Dihydroxycholesterol
Ceftriaxone	Clonazepam*	Dalteparin*	Dilacor
Cefzil*	Clonidine HCL	Dantrium	Dilantin
Celexa	Clopidogrel Bisulfate*	Dantrolene Sodium	Dilaudid
Celebrex*	Clotrimazole	Dapsone	Diltiazem HCL
Celecoxib*	Clozapine	Daraprim	Dimetapp Elixir
Cellcept*	Clozaril	Darvocet-N100	Diovan
Cenestin	Coal Tar	Darvon	Diovan/HCTZ
Cephalexin	Codeine & Acetaminophen	Daunorubicin Cit. Liposome	Diphenhydramine HCL
Cephulac*	Codeine & Aspirin	Daunorubicin HCL	Diphenoxylate HCL w/Atropine Sulfate
Cerivastatin	Codeine Phosphate Inj.	Daunoxome	Dipivefrin HCL Oph. Soln.
Cerubidine	Cogentin	DDAVP	Dipyridamole
Cetapred	Colbenemid	Ddl*	Disalcid*
Cetirizine HCL	Colchicine	Decadron	Disulfiram
Chemet	Colestid	Delavirdine Mes.*	Ditropan
Cheracol	Colestipol HCL	Demerol	Ditropan Syrup
Children's Advil	Collagenase Oint.	Demulin	Ditropan XL
Children's Motrin	Combivent	Denileukin Diftitox	Divalproex Sodium
Chloral Hydrate	Combivir*	Depakene	Docetaxel
Chlorambucil	Compazine	Depakote	Docusate Sodium
Chloramphenicol	Comtan	Depen	Dolasetron Mes.*
Chlordiazepoxide*	Condylox	Depo-Provera Contraceptive	Dolobid*
Chloromycetin	Cordarone	Depo-Testadiol	Dolophene
Chloroptic	Coreg	Depo-Testosterone	Domeboro
Chloroquine - 250 mg	Corgard	Dermatop	Donepezil HCL*
Chlorotrianisene	Cort-Enema	Desipramine HCL	Donnatal
Chlorpheniramine Mal., Phenyleph HCL, Pot. Iodide and Cod.	Cortisone (inj)	Desmopressin Acetate	Dopar
Chlorpheniramine Mal. Pseudoephedrine HCL and Cod.	Cortisporin Otic	Desogen	Dorzolamide HCL Oph. Soln.
Chlorpromazine	Cortone	Desogestrel & Ethinyl Estradiol	Dorzolamide HCL and Timolol Maleate Oph. Soln.
Chlorpropamide	Cosmegen	Desyrel	Dovonex
Chlorthalidone	Cosopt	Detrol	Doxazosin Mesylate
Chlortrimeton	Cotazyme	Dexamethasone	Doxepin HCL
Cholestyramine	Coumadin	Dexamethasone w/Neomycin	Doxil
Choline Magnesium Trisalicylate	Cozaar	Dexamethasone w/Neomycin & Polymyxin	Doxorubicin HCL
Ciclopirox Topical	Crixivan*	Dexamethasone w/Tobramycin	Doxorubicin HCL Liposome
Cidofovir*	Crolom	Dexedrine*	Doxycycline Hyclate*
Cilostazol*	Cromolyn Sodium	Dextroamphetamine Saccharate*	Dronabinol*
Ciloxin	Crotamiton	Dextroamphetamine Sulfate*	DTIC-Dome
Cimetidine*	Cuprimine	DHT	Dulcolax
Cipro*	Cutivate	Diabeta	Duphalac*
Ciprofloxacin*	Cyanocobalamin (inj)	Diabetic Supplies (most)	Duragesic*
Ciprofloxacin HCL Oph. Soln.	Cyclobenzaprine HCL	Diabinese	DV Cream
Ciprofloxacin HCL/HC Otic Susp.	Cyclogyl	Diamox	Dyazide 50-25
Cisapride*	Cyclopentolate	Diazepam*	Dynacirc
	Cyclophosphamide	Dicalcium Phosphate 500mg with or w/o Vit. D	Dynapen
	Cycloserine		Dyrenium
	Cyclosporin*		
	Cyclosporin Micro Emulsion*		

* indicates limitation in amount, time, or Specific Diagnosis Required (Code-1).

Normal Face indicates State of California (EDS) Formulary.

Bold Face indicates SBRHA Formulary only and/or different from EDS Formulary.

SBRHA FORMULARY LIST - JULY 2001

E

E-Mycin
E-Pilo
Echthiophate
Econazole Nitrate
Econopred (plus)
Edecrin
EES
Efavirenz*
Effexor
Effexor SR
Efudex
Elavil
Eldepryl
Electrolytes, Oral Maint.
Elimite
Elixophyllin
Ellence
Elmiron
Elspar
Emcyt
EMLA*
Empirin w/Codeine
Enalapril/HCTZ
Enalapril Maleate
Enalapril Maleate & Felodipine
Enoxaparin Sod.*
Entacapone
Entex PSE
Enulose*
Epifrin
Epinal
Epinephrine
Epinephryl Borate
Epiriv*
Epirubicin HCL
Epoetin Alfa*
Epogen*
Eppy/N
Ergamisol
Ergocalciferol
Ergoloid Mesylates Sublingual
Ergonovine Maleate
Ergotamine Tartrate and Caffeine
Ergotamine Tartrate w/Caffeine,
Pentobarb. Sod, Belladonna
Alk
Ergotrate Maleate
Eryped
Erythrocin Stearate
Erythromcin and Sulfisoxazole
Erythromycin Oph. Oint.
Erythromycin Base
Erythromycin Ethylsuccinate
Erythromycin Stearate
Esidrix
Eskalith
Estinyl
Estrace
Estraderm
Estradiol and Noregestimate
Estradiol and Norethindrone
Acetate

Estradiol Cypionate and
Testosterone Cypionate
Estradiol
Estradiol Ring
Estradiol Transdermal
Estramustine Phosphate
Estratab
Estratest
Estratest HS
Estring
Estrogen, Conj. A
Estrogens, Conjugated
Estrogens, Conjugated w/
Medroxyprogesterone
Estrogens, Conjugated
w/Methyltestosterone
Estrogens, Esterified
Estrogens, Esterified
w/Methyltestosterone
Ethacrynic Acid
Ethambutol
Ethynyl Estradiol
Ethionamide
Ethosuximide
Ethinodiol Diastate & Ethinyl
Estrad.
Etoposide
Etoposide Phos. Inj.
Etrafon
Eulexin
Eurax
Evista*
Exemestane
Exelon*

F

Famciclovir*
Famvir*
Famotidine*
Fareston
Feldene
Felodipine
Femara
Fem HRT
Femstat
Fenofibrate, Micronized
Fenopropfen*
Fentanyl*
Fentanyl Citrate*
Ferrous Sulfate
Fexofenadine HCL
Fioricet
Fiorinal
Flagyl
Flarex
Flexeril
Flomax
Flonase
Florinef
Flovent
Floxin*

Floxuridine
Flu Vaccine
Fluconazole*
Fludara
Fludarabine Phosphate
Fludrocortisone Acetate
Flunisolide
Fluocinolone
Fluocinonide
Fluonid
Fluorometholone
Fluoroplex
Fluorouracil
Fluoxetine HCL
Fluoxymesterone
Fluphenazine
Flura Drops
Flurazepam
Flurbiprofen*
Flutamide
Fluticasone
Fluticasone/Salmeterol
Fluvastatin Sodium
Fluvoxamine Mal.
FML
FML Forte
Folic Acid
Fortaz
Fortovase*
Fosamax
Foscarnet Sodium*
Foscavir*
Fosinopril
Fragmin*
Fudr (sterile)
Fulvicin PG
Furadantin
Furazolidone
Furosemide
Furoxone

G

Gabapentin
Gabitril
Gammagard*
Ganciclovir Sodium*
Gantrisin
Garamycin
Gatifloxacin*
Gemcitabine HCL
Gemfibrozil
Gemtuzumab Ozogamicin
Gemzar
Gengraf*
Gentamicin
Geocillin
Glaucan Solution
Glauc Tabs
Gleevec
Glimepiride
Glipizide
Glucagon

Glucophage
Glucotrol
Glucovance
Glyburide
Glyburide Micronized
Glycopyrrolate
Glynase Pres-tab
Glyset
Go LYTELY
Gold Sodium Thiomalate
Goserelin Acetate
Granisetron HCL*
Grisactin Ultra
Griseofulvin
Gris-Peg
Guaifenesin
Guaifenesin LA
Guaifenesin w/Codeine
Guaifenesin Pseudo-LA
Guanabenz Acetate
Guanfacine HCL
Gyne-Lotrimin

H

Halcion
Haldol
Haloperidol
Halotestin
Heparin
Herceptin
Hexalen
Hiprex
Hivid*
Homatropine
Humabid LA
Humatin
Humalog
Hyaluronidase
Hycamtin
Hydralazine
Hydrea
Hydrochlorothiazide
Hydrocodone / APAP
Hydrocodone / APAP ES
Hydrocortisone
Hydrocortisone Acetate
w/Pramoxine
Hydrocortisone w/PolymyxinB
Hydrocortisone w/Polymyxin B
and Neomycin
Hydrocortisone Rectal Foam
Aerosol
Hydrocortone
Hydrodiuril
Hydromorphone
Hydroxychloroquine
Hydroxyurea
Hydroxyzine HCL
Hydroxyzine Pamoate
Hygroton
Hytrin
Hyzaar

* indicates limitation in amount, time, or Specific Diagnosis Required (Code-1).

Normal Face indicates State of California (EDS) Formulary.

Bold Face indicates SBRHA Formulary only and/or different from EDS Formulary.

I

Ibuprofen
 Ifosfamide w/Mesna
 Ilotycin Oph. Oint.
 Imatinib Mesylate
 Imdur
 Imipramine
 Imiquimod
 Imitrex*
 Immune Globulin, IV*
 Immune Globulin Rho(D), IV*
 Imuran
 Indapamide
 Inderal
Inderal L.A.
Indinavir Sulfate*
 Indocin
 Indomethacin
Indomethacin ER
 Infergen*
 Inflamase (Forte)
 Influenza Virus Vac.
 INH
 Insulin
 Insulin (human)
 Insulin, Lispro (rDNA Orig.)
 Intal
 Interferon Alpha 2A
 Interferon Alpha 2B
 Interferon Alphacon-1*
 Intravenous Solutions*
 Intron A
 Invirase*
 Iopidine
 Ipratropium Bromide
 Ipratropium Br & Albuterol
 Irinotecan HCL
Iron Dextran Injection
 Isoetharine HCL
 Isometheptene
 Dichloralphenazone Apap
 Isoniazid
 Isoptin-SR
 Isopto Atropine
 Isopto Carbachol
 Isopto Carpine
 Isopto Cetamide
 Isopto Cetapred
 Isopto Homatropine
 Isopto Hyoscine
 Isordil
 Isordil Titradose
 Isosorbide Dinitrate
 Isosorbide Mononitrate
 Isradipine
 Iveegam*
 Itraconazole*

K

Kaletra*
 Kanamycin Sulfate Inj.
 Kantrex Inj.
 Karidium
 Kay Ciel
 Keflex
 Kemadrin
 Kenalog
 Kerlone
 Ketoconazole
 Ketoprofen*
 Ketorolac Trometh. Opht. Soln.
 Ketotifen Fumarate
Klonopin*
 Konakion
 Kytril*

L

Labetalol HCL
Lactulose*
 Lamictal
 Lamivudine*
 Lamivudine & Zidovudine*
 Lamotrigine
 Lamprene
 Lanoxin
 Lansoprazole*
 Larodopa
 Lasix
 Latanoprost
 LCD Solution
 Leflunomide
 Lescol
 Letrozole
 Leucovorin Calcium
 Leukeran
 Leuprolide Acetate*
 Leustatin
 Levalbuterol HCL
 Levamisole HCL
 Levaquin*
 Levatol
 Levlén
 Levlite
 Levocabastine HCL Opht. Soln.
 Levocarnitine
 Levodopa
 Levofloxacin*
 Levofloxacin Oph. Sol.
 Levonorgestrel & Ethinyl
 Estradiol
 Levo-Dromoran
 Levora
 Levorphanol Tartrate
 Levothyroxine Sodium
 Levoxyl
 Lexxel
Librium*
 Lidex
 Lidocaine HCL

Lidocaine/Prilocaine*

Linezolid*
 Lioresal
 Lipitor
 Liquaemin
 Liqueur Carbonis Detergens
 Lisinopril
 Lithane
 Lithium Carbonate
 Lithium Citrate
 Lithobid
 Lithonate
 Livostin
 Lo/ovral
 Lodoxamide Opht. Soln.
Lomefloxacin HCL*
 Lomotil
 Lomustine
 Lopid
 Lopinavir & Ritonavir*
 Lopressor
 Loprox
 Loratidine
Lorazepam
 Losartan
 Losartan w/ HCTZ
 Lotensin
 Loteprednole Etabonate
 Lotrel
 Lotrimin
 Lovenox*
 Loxapine
 Loxitane
 Lozol
 Luminal
 Lupron*
 Luride
 Luvox
 Lysodren

M

Maalox Reg. & Ex. Str.
 Macrobid
 Macrodantin
 Malathion
 Mandelamine
 Marinol*
 Matulane
 Mavik
 Maxair
 Maxair Autoinhaler
Maxaquin*
 Maxidex
 Maxitrol
 Maxzide
 Mebendazole
 Mechlorethamine HCL
 Meclizine HCL
 Medroxyprogesterone Acetate
 Megace

Megesterol Acetate
 Mellaril
 Meloxicam*
 Melphalan
 Menest
 Meperidine HCL
 Mephyton
 Mepron*
 Mercaptopurine
 Mesoridazine
 Mestinon
 Metaproterenol
 Metformin HCL
 Metformin & Glyburide
 Methadone
 Methazolamide
 Methenamine Hippurate
 Methenamine Mandelate
 Methergine
 Methimazole
Methocarbamol
 Methotrexate
 Methylidopa
 Methylidopa w/HCTZ
 Methylergonovine Maleate
**Methylphenidate HCL
 Immediate and SR***
 Methyltestosterone
 Meticorten
 Metimyd
 Metipranolol HCL
 Metoclopramide HCL
 Metrogel
 Metolazone
 Metoprolol Tartrate
 Metronidazole
 Mexiletine HCL
 Mexitil
 Miacalcin
 Micardis
 Miconazole Nitrate
 Micronase
 Micronor
 Midrin
 Miglitol
 Minipress
 Mintezol
 Mirapex
 Mircette
 Mirtazapine
 Misoprostol
 Mithracin
 Mitomycin
 Mitotane
 Mitoxantrone*
 Moban
 Mobic*
 Moexipril HCL
 Molindone HCL
 Mometasone Furoate Nasal
 Spray

* indicates limitation in amount, time, or Specific Diagnosis Required (Code-1).

Normal Face indicates State of California (EDS) Formulary.

Bold Face indicates SBRHA Formulary only and/or different from EDS Formulary.

SBRHA FORMULARY LIST - JULY 2001

Monistat-3
 Monistat Derm
 Monistat Dual-Pak
 Monocid

Monopril

Montelukast Sod.
 Morphine Sulfate
 Motrin
 Moxifloxacin*
 Mucomyst
 Mustargen
 Mutamycin
 Myambutol
 Mycelex Troches
 Mycelex-G
 Mycobutin*

Mycolog

Mycophenolate Mofetil*
 Mycostatin
 Mydriacyl
 Mylanta
 Myleran
 Mylotarg
 Mysoline

Mytelase Chloride

N

Nabumetone*
 Nafcillin
Naldolol
 Nalfon*
 Nalidixic Acid
 Nallpen
 Naphazoline HCL
 Naphazoline HCL & Antazoline Phos. Ophth. Soln.
 Naphcon Forte
 Naprosyn
 Naproxen
 Nasacort AQ
 Nasonex
 Natacyn
 Natamycin
 Navane
 Navelbine
 NebuPent*
 Nefazodone HCL
 Neg Gram
 Nelfinavir Mes.*
 Nembutal Sup.
 Neo Decadron
 Neomycin
 Neomycin, Bacitracin and Polymyxin
 Neomycin and Polymyxin
 Neomycin, Polymyxin and Gramicidin

Neoral*

Neosporin G.U. Irrigant
 Neosporin Ophth. Oint.
 Neosporin Ophth. Soln.
 Neostigmine Bromide
 Neosynepherine Ophth. Soln.
 Neptazane
 Neumega
 Neurontin
 Neutrexin
 Nevirapine*
 Niacin
 Nicardipine
 Niclosamide
 Niclosamide
 Nicorette

Nicotine Polacrilex

Nicotine Transdermal Patch*
 Nicotinic Acid
 Nicotrol*
 Nifedipine
 Nilandron
 Nilstat
 Nilutamide
 Nipent
 Nisoldipine
 Nitrofurantoin
 Nitroglycerin

Nitroglycerin Transdermal Patches

Nix
 Nizoral
 Nolvadex
 Nordette
 Norethindrone
 Norethindrone & Ethinyl Estradiol
 Norethindrone & Mestranol
 Norfloxacin
 Norgestimate & Ethinyl Estradiol
 Norgestrel & Ethinyl Estradiol
 Norinyl
 Normodyne
 Noroxin
 Norpramin
 Nor-QD
 Noroxin
 Nortriptyline HCL
 Norvasc
 Norvir*
 Novahistine
 Novahistine DH
 Novantrone
 Numorphan
 Nydravid
 Nystatin

Nystatin / Triamcinolone

O

Ocuflox
 Ocupres
 Ofloxacin*
 Ofloxacin Ophth. Soln.
 Olanzapine
 Olopatadine HCL Ophth.
 Omeprazole*
 Omnicef*
 Omnipen
 Oncaspar
 Oncovin
 Ondansetron
 Ontak
 Ophthaine
 Ophthalmic
 Oprelvekin
 OptiPranolol
 Oral Contraceptives (most)
 Orinase
 Orthocept
 Ortho Dienestrol
 Ortho-Novum
 Ortho-Prefest
 Ortho-Tricyclen
 Orudis*
 Oseltamivir*
 Otobiotic
 Ovide
 Ovral
 Oxandrin*
 Oxandrolone*
 Oxcarbazepine
 Oxiconazole Nitrate
 Oxistat
 Oxycontin
 Oxyir
 Oxybutynin Chloride
Oxybutynin Syrup
 Oxycodone and Acetaminophen
 Oxycodone HCL
 Oxycodone HCL C.R.
 Oxycodone HCL w/Oxycodone Terephthalate and Aspirin
 Oxymorphone

P

Paclitaxel
 Pamelor
 Pamidronate Disodium
 Pancrelipase
 Pancreatin
 Panretin*
 Pantoprazole*
 Papain/Urea Oint.
 Papine-Urea-Chlorophyllin Copper Complex Sodium
 Paraplatin

Paregoric
 Paregoric and Protective
 Parlodel

Parnate

Paromomycin Sulfate
 Paroplatin
 Paroxetine HCL
 Patanol
 Paxil
 PxE1
 Pedialyte
 Pediazole
 Pegaspargase
 Pemirolast

Pemoline*

Penbutolol Sulfate
 Penicillin G
 Penicillin G Benzathine
 Penicillin G Procaine
 Penicillin V(K)
 Pentamidine*
 Pentobarbital Suppos.
 Pentosan Poly-Sulfate
 Pentostatin

Pentoxifylline

Pepcid*

Pepto Bismol
 Percocet
 Percodan
 Pergolide Mesylate
 Periostat*
 Permax
 Permethrin
 Permethrin Creme Rinse
 Permitil
 Perphenazine

Persantine

Phenazopyridine HCL
 Phenergan
 Phenergan with Codeine
 Phenergan DM
 Phenergan VC
 Phenergan VC with Codeine
 Phenobarbital
 Phenylephrine
 Phenytoin
 Phenytoin & Phenobarbital
 Phoslo
 Phospholine Iodide
 Phytonadione
 Pilocarpine
 Pilocarpine w/Epinephrine
 Pindolol
 Pioglitazone HCL
 Piperacillin Sod.
 Pipobroman
 Pipracil

* indicates limitation in amount, time, or Specific Diagnosis Required (Code-1).

Normal Face indicates State of California (EDS) Formulary.

Bold Face indicates SBRHA Formulary only and/or different from EDS Formulary.

Pirbuterol acetate
Piroxicam
 Plaquinil
 Platinol
Plavix*
 Plendil
 Pletal*
 Plicamycin
 Pneumococcal Vac. Polyvalent
 Pnu-mune-23
 Podofilox Soln. & Gel
 Polyestradiol Phosphate
Polyethylene Glycol Soln.
 Polymyxin, Bacitracin
 Polymixin B, Sulfate & Bacitracin Zinc
 Polysporin
 Polysporin Opht. Oint.
 Polytrim Opht. Soln.
 Porfimer Sod.
 Potassium Chloride
Potassium Chloride LA
 Potassium Iodide Saturated Soln.
 Pramoxone Cream
 Pramipexole
 Prandin
 Pravachol
 Pravastatin
 Prazosin HCL
 Precose
 Pred Forte
 Pred Mild
 Prednicarbate
 Prednisolone
 Prednisolone, Neomycin, Polymyxin B
Prednisolone Opth.
 Prednisolone w/ Sulfacetamide
 Prednisone Tabs
Prednisone Liquid
 Premarin
 Premarin MT
 Premphase
 Prempro
Prenatal OTC Vitamins*
 Preven Emergency Contraceptive*
 Prevacid*
 Priftin
 Prilosec*
 Primaquine
 Primidone
 Prinivil
 Procrit*
 Probanthine
 Probenecid
 Probenecid w/Colchicine
 Procainamide
 Procainamide SR

Procaine Penicillin G
 Procarbazine
 Procardia
 Procardia XL
 Prochlorperazine
 Procrit*
 Procyclidine
 Progesterone (inj)
 Proleukin
 Prolixin
 Proloprim
 Promethazine
 Promethazine w/Codeine
 Promethazine w/Dextromethorphan
 Promethazine w/Phenylephrine
 Promethazine w/Phenylephrine and Codeine
 Pronestyl
 Propanteline Bromide
 Proparacaine HCL
 Propine
Propoxyphene HCL
Propoxyphene NAP/APAP
 Propranolol
Propranolol-LA
 Propulsid*
 Propylene Glycol
 Propylthiouracil
Protein Bars*
 Protonix*
 Protriptyline
 Proventil
 Provera
 Prozac
 Pseudoephedrine HCL
Pseudoephedrine/Guaifenesin L.A.
 Pulmicort
 Purinethol
 Pyrantel Pamoate (Liq.)
 Pyrazinamide
 Pyrethrins Liquid
 Pyridium
 Pyridostigmine
 Pyridoxine
 Pyrimethamine

Q
 Questran
 Questran Light
 Quetiapine Fumarate
 Quinaglute
 Quinapril HCL
 Quinidine Gluconate
 Quinidine Sulfate
 Quinine
 Quinine Sulfate
 Quixin

R
 Rabepazole Sodium*
 Raloxifene HCL*
 Ramipril
Ranitidine*
 Rebretrom*
 Reglan
 Relafen*
 Relenza*
 Remeron
 Renacidin
 Renegel*
Renal Vitamin-Iron Formulas*
 Repaglinide
 Requip
 Rescriptor*
 Rescula
Restoril
RetinA*
 Retrovir*
 Ribavirin & Interferon Alfa 2B*
 Rid
 Ridaura
 Rifabutin*
 Rifadin
 Rifamate
 Rifampin
 Rifampin and Isoniazid
 Rifampin, Isoniazid and Pyrazinamide
 Rifapentine
 Rifater
 Rilutek*
 Riluzole*
 Rimactane
 Rimexolone Opht. Susp.
 Risedronate Sod.*
 Risperdal
 Risperidone
Ritalin*
Ritalin SR*
Ritodrine HCL Inj.
 Ritonavir*
 Rituxan
 Rituximab Inj.
 Rivastigmine*
Robaxin
 Robinul
 Robinul Forte
 Robitussin
 Robitussin AC
 Robitussin CF
 Robitussin DM
 Robitussin PE
 Rocaltrol
 Rocephin
 Rofecoxib*
 Roferon-A

Ropinirole HCL
 Rosiglitazone Mal.
 Roxicodone
 Rubex

S
Salmeterol Xinafoate
 Salsalate*
 Salsitab*
Sandimmune*
 Sandoglobulin*
 Saquinavir*
 Saquinavir Mesylate*
 Scopolamine HBr Opht.
 Sectral
 Selegiline HCL
Selenium Sulfide
 Septra
 Serentil
Serevent
 Seromycin
 Seroquel
 Serostim*
 Sertraline
 Serzone
 Sevelamer HCL*
 Silvadene
 Silver Sulfadiazine
 Simvastatin
 Sinemet
 Sinemet SR
 Sinequan
 Singulair
 SMZ/TMP
 Sodium Chloride Inj.*
 Sodium Chloride Inhal. Solution
 Sodium Chloride Irrig. Solution
 Sodium Fluoride
Soma*
 Somatropin* (rDNA origin)
 Sonata*
 Sorbitrate
 Sotalol HCL
 Spectazole
 Spironolactone
 Spironolactone w/HCTZ
 Sporanox*
 SSKI
 Stavudine*
 Stelazine
 Stimate
 Streptomycin
 Streptozocin
 Succimer
 Sucralfate
 Sudafed
 Sulamyd
 Sular

* indicates limitation in amount, time, or Specific Diagnosis Required (Code-1).
 Normal Face indicates State of California (EDS) Formulary.
 Bold Face indicates SBRHA Formulary only and/or different from EDS Formulary.

CODE 1 DEFINITIONS OF RESTRICTIONS

Effective July 2001

Generic/(TRADE) Name	*Shaded areas represent a difference between SBRHA's & EDS' Formularies
Abacavir (ZIAGEN)	restricted to use in treatment of HIV disease
Abacavir/Lamivudine/& Zidovudine (TRIZIVIR)	restricted to use in treatment of HIV disease
Acyclovir (ZOVIRAX)	restricted to use in treatment of 1) Genital Herpes (HS II) 2) Immunocompromised patients 3) Shingles (Herpes Zoster)
Alitretinoin (PANRETIN)	restricted to use in the treatment of cutaneous lesions of Kaposi's Sarcoma in AIDS pts
Amoxicillin/Clavulanate (AUGMENTIN)	restricted to 1) pts < 8 yrs old with otitis media (OM) 2) patients > 50 yrs old with lower respiratory tract infection (RTI)
Amphetamine, Mixed Salts (ADDERAL)	On SBRHA can be used in patients of all ages but restricted to a diagnosis of Attention Deficit Disorder
Amprenavir (AGENERASE)	restricted to use in treatment of HIV disease
Atovaquone (MEPRON)	for use only in treatment or prevention of Pneumocystis pneumonia in patients who are intolerant of trimethoprim-sulfamethoxazole
Azithromycin (ZITHROMAX)	1) 250mg tablets restricted to 6 pills per dispensing and a max of 2 dispensings in 30 days. 2) 600 mg tablets restricted to use in prevention of Mycobacterium infections 3) Suspension 200mg/5cc restricted to < 8 yrs old, or failure of a trial of first line Antibiotic at any age.
Bupropion SR for smoking cessation (ZYBAN)	Pharmacy needs to have a letter or certificate of enrollment verify that the pt is in a behavioral modification smoking cessation program. Max of 60 pills/dispensing and therapy lasting up to 12 weeks from initiation of drug
Carisprodol (SOMA)	restricted amts: max of 60 pills/dispensing and 3 dispensings in a 75 day period

CODE 1 - DEFINITIONS OF RESTRICTIONS - JULY 2001

Cefaclor (CECLOR)	for use only in pts> 50 yrs old with lower respiratory tract infections (RTI)
Cefdinir (OMNICEF)	restricted to use in pts< 8 yrs old
Cefixime (SUPRAX)	1) liquid: for use only in pts< 8 yrs old with OM 2) tablet: restricted to the use in treatment of Neisseria gonorrhoeae, with a max of 1Tablet/dispensing and 1 dispensing in any 30 day period.
Cefprozil (CEFZIL)	restricted for use in pts< 8 yrs of age
Celecoxib (CELEBREX)	restricted to use for arthritis
Chlordiazepoxide (LIBRIUM)	for use only in treatment of alcoholism
Cidofovir (VISTIDE)	restricted to use in treatment of HIV disease
Cilostazol (PLETAL)	1) for use in pts> 65 yrs of age diagnosed with intermittent claudication 2) for diabetic pts of any age with intermittent claudication
Cimetidine (TAGAMET)	restricted to therapy lasting 90 days from date of first prescription except on SBRHA there is no time limit for the diagnosis of GERD
Ciprofloxacin (CIPRO)	for use in the treatment of: 1) pts> 50 yrs old with lower RTI 2) osteomyelitis 3) pulmonary exacerbations in pts with Cystic Fibrosis 4) Urinary tract infections (UTI)
Clarithromycin (BIAXIN)	restricted to: 1) infections caused by Mycobacterium 2) Active duodenal ulcer associated with Helicobacter Pylori
Clonazepam (KLONOPIN)	1) restricted to the diagnoses of schizophrenia or seizures, unlimited duration of therapy 2) therapy limited to 90 days, but no diagnosis requirement
Clopidogrel Bisulfate (PLAVIX)	limited to treatment of pts with documented atherosclerosis such as recent strokes, MI or established peripheral vascular disease
Cyclosporine (NEORAL, & SANDIMMUNE)	restricted to use for organ transplant

CODE 1 - DEFINITIONS OF RESTRICTIONS - JULY 2001

Dalteparin Sodium (FRAGMIN)	limits on amounts, maximums of: 20-2500 IU syringes or 10-5000 IU syringes per dispensing and a max of 2 dispensings per pt per year
Delaviridine Mesylate (RESCRIPTOR)	restricted to use in the treatment of HIV disease
Dextroamphetamine Sulfate (DEXEDRINE)	restricted to the diagnosis of ADD, but on SBRHA the age limit has been removed
Diazepam (VALIUM)	restricted to use in Cerebral Palsy, Athetoid states or spinal cord degeneration
Diclofenac Sodium & Diclofenac w/Misoprostol (VOLTAREN & ARTHROTEC)	restricted to use for arthritis
Didanosine (VIDEX, Ddl)	restricted to use in the treatment of HIV disease
Diflunisal (DOLOBID)	restricted to use for arthritis
Dolasetron mesylate (ANZAMET)	limited amounts: Injection—max of 5cc/dispensing Tablets—max of 3 tablets/dispensing
Donepezil HCl (ARICEPT)	restricted to treatment of mild to moderate dementia of the Alzheimer's type in pts with a current (within 6 months) MMSE score of 10-26
Doxycycline Hyclate (PERIOSTAT)	No restrictions on strengths 50 or 100mgs but 20mg capsule is restricted for use as an adjunct therapy to aggressive local dental measures in adults with periodontitis. Max 60/dispensing and 9 dispensings in a year
Dronabinol (MARINOL)	restricted to use in the treatment of anorexia associated associated with weight loss in pts with AIDS
Efavirenz (SUSTIVA)	restricted to use in the treatment of HIV disease disease
Enoxaparin Sodium (LOVENOX)	limitations in amounts max of 20 syringes/dispensing and 2 dispensings per patient per year
Epoetin alfa (EPOGEN or PROCRIT)	for use in the treatment of anemia due to: 1) Zidovudine therapy 2) cancer chemotherapy 3) or chronic renal failure

CODE 1 - DEFINITIONS OF RESTRICTIONS - JULY 2001

Famciclovir (FAMVIR)	restricted for use to: 1) Genital Herpes 2) Shingles (Herpes Zoster) 3) Herpes Simplex infection in HIV pt
Famotidine (PEPCID)	1) any diagnosis but restricted to therapy lasting up to 90 days 2) on SBRHA, no time limit for a diagnosis of GERD
Fenoprofen (NALFON)	restricted to use for arthritis
Fentanyl, transdermal (DURAGESIC)	restricted for use in cancer patients with chronic severe pain
Fentanyl Citrate Transmucosal,oral (ACTIQ)	restricted to use in pts with breakthrough pain who are tolerant to opioid therapy
Fluconazole (DIFLUCAN)	1) Cancer and HIV patients 2) for the treatment of vaginal candidiasis 3) treatment of Coccidioides Immitis infections
Fluribiprofen (ANSAID)	restricted to use for arthritis
Foscarnet Sodium (FOSCAVIR)	restricted to use in treatment of HIV disease
Ganciclovir (CYTOVENE)	restricted to use in treatment of AIDS related conditions
Gatifloxacin (TEQUIN)	restricted for use in pts > 50 yrs of age with LRTI, and limited amounts of 10 per dispensing and 2 dispensings/month
Granisetron HCl (KYTRIL)	limits on amounts as follows: injection - max of 1mg/dispensing tablets - max of 6/dispensing
Immune Globulin (GAMMAGARD, IVEEGAM, SANDOGLOBULIN)	for use only in the pediatric population (<13) with HIV disease
Immune Globulin Rh ₀ (BAYRHO-D)	restricted for use in the treatment of ITP secondary to HIV disease
Indinavir Sulfate (CRIXIVAN)	restricted to use in the treatment of HIV disease
Interferon alfacon-1 (INFERGEN)	restricted to use in the treatment of chronic hepatitis C infection
Itraconazole (SPORANOX)	restricted to use in patients with an AIDS related condition

CODE 1 - DEFINITIONS OF RESTRICTIONS - JULY 2001

Ketoprofen (ORUDIS)	restricted to use for arthritis
Lactulose (CEPHULAC, DUPHALAC, ENULOSE)	restricted to treatment of liver disease
Lamivudine (EPIVIR)	restricted to use in the treatment of HIV disease
Lamivudine,& Zidovudine (COMBIVIR)	restricted to use in the treatment of HIV disease
Lansoprazole (PREVACID)	limited to therapy lasting 90 days from the first first dispensing date
Leuprolide Acetate (LUPRON)	Only for use in treatment of cancer
Levofloxacin (LEVAQUIN)	Restricted to a max of 10 tablets/dispensing and 2 dispensings in any 30-day period
Levonorgestrel/Ethinyl Estradiol & Pregnancy Test (PREVEN)	Max of 1 kit/dispensing, and 3 kits/year
Lidocaine/Prilocaine (EMLA)	restricted for use in patients < 21 yrs of age and require a needle procedure
Linezolid (ZYVOX)	May only be used following discharge from inpt. hospitalization when pt was on Linezolid or Quinupristin/Dalopriston immediately prior to discharge. Max of a 21 day supply
Lomefloxacin HCl (MAXAQUIN)	restricted to treatment of Pyelonephritis
Lopinavir & Ritonavir (KALETRA)	restricted to use in the treatment of HIV disease
Meloxicam (MOBIC)	restricted to use for arthritis
Methylphenidate HCL immediate & sustained release (RITALIN)	restricted to used in Attention Deficit Disorder. Age limits have been removed on SBRHA, and sustained release preparation is only on SBRHA formulary
Mitoxantrone (NOVANTRONE)	restricted to use in the treatment of Cancer
Moxifloxacin (AVELOX)	restricted to use in pts > 50 yrs old with lower respiratory tract infection. Also limitations on quantity to: max 10 tablets/dispensing and 2 dispensings per month

CODE 1 - DEFINITIONS OF RESTRICTIONS - JULY 2001

Mycophenolate Mofetil (CELLCEPT)	for use in renal and cardiac transplant patients
Nabumetone (RELAFEN)	restricted to use for arthritis
Nelfinavir Mesylate (VIRACEPT)	restricted to use in the treatment of HIV disease
Nevirapine (VIRAMUNE)	restricted to use in the treatment of HIV disease
Nicotine Patch (NICOTROL)	15mg/16 hr is the only patch covered and only the McNeil brand. Limits of 14 patches/dispensing and 3 dispensings in a 6 week period. For each 6 wk period, the pharmacy needs a certificate of enrollment for the pt from a behavioral modification smoking cessation program
Ofloxacin (FLOXIN)	limited to use in the treatment of sexually transmitted diseases
Omeprazole (PRILOSEC)	restricted to therapy lasting up to 90 days
Ondansetron (ZOFRAN)	limits in amounts: injection-max of 32mg/dispensing tablets-max 12 tablets/dispensing
Oseltamivir Phosphate (TAMIFLU)	restricted to use in the treatment of acute influenza viral infection in patients at high risk of complications who also have underlying airway disease or are incapable of using an inhaler device, and have been sick for < 2 days. Limit to 10 capsules per dispensing and 3 dispensings per 6 months.
Oxandrolone (OXANDRIN)	restricted to use in patients with AIDS related wasting
Pantoprazole Sodium (PROTONIX)	restricted to 90 days of therapy
Pemoline (CYLERT)	On SBRHA can be used in patients of all ages but restricted to a diagnosis of Attention Deficit Disorder
Pentamidine Powder (NEBUPENT)	restricted to the prevention of PCP (Pneumocystis pneumonia) if the pt is also infected with HIV and has a previous history of PCP or T4 < 200
Prenatal Vitamins	restricted to women with confirmed positive pregnancy test, but SBRHA also allows for vitamins to be continued for 90 days post-partum

CODE 1 - DEFINITIONS OF RESTRICTIONS - JULY 2001

Protein Bars (REGAIN & SUPPLICAL)	restricted to pts on peritoneal dialysis with low albumins
Rabeprazole Sodium (ACIPHEX)	limited to therapy lasting 90 days
Raloxifene (EVISTA)	restricted to use in the prevention of osteoporosis in post-menopausal women. Max 30 pills/dispensing. A TAR is required if being used for treatment of osteoporosis as opposed to prevention.
Ranitidine (ZANTAC)	limited to therapy lasting 90 days, except for the diagnosis of GERD which does not have any time limitations
Renal Vitamins w/ Iron	restricted to use for pts with renal disease
Ribavirin & Interferon (REBETRON)	restricted to use in the treatment of Hepatitis C. Max of 2 kits/dispensing and to therapy lasting 48 weeks.
Rifabutin (MYCOBUTIN)	restricted to use in the prevention of MAC (Mycobacterium Avium Complex) disease in pts with advanced HIV
Riluzole (RILUTEK)	restricted to use in the treatment of ALS (Amyotrophic Lateral Sclerosis)
Ritonavir (NORVIR)	restricted to use in the treatment of HIV disease
Rivastigmine Tartrate (EXELON)	restricted to treatment of mild to moderate dementia of the Alzheimer's type in pts with a current (within 180 days) MMSE score of 10-26.
Rofecoxib (VIOXX)	restricted to use in arthritis
Salsalate (DISALCID, SALSITAB)	restricted to use in arthritis
Saquinavir (FORTOVASE)	restricted to use in the treatment of HIV disease
Saquinavir Mesylate (INVIRASE)	restricted to use in the treatment of HIV disease
Sevelamer HCl (RENAGEL)	restricted to use in treatment of patients with end-stage renal disease on dialysis
Sodium Chloride injection	limited to use in combination with Heparin lock flush solution for flushing intravenous equipment