



SANTA BARBARA REGIONAL HEALTH AUTHORITY FORMULARY LIST AND CODE 1 DEFINITIONS OF RESTRICTIONS

Effective October 2002

The Health Authority mandates generic substitution when an “AB” rated equivalent generic product is available. Generally if a prescriber wants a brand name drug and designates *Do Not Substitute* on the prescription, then a MRF must also be submitted explaining why a brand name drug is required.

Prescription quantities should not exceed a 30-day supply of medication unless specified as an exception to this rule. On the following pages, drugs that must be dispensed as a 100-units and are an exception to the 30-day supply rule are indicated by a #.

SBRHA FORMULARY LIST - OCTOBER 2002

A

A-200 Pyrinat
 Abacavir*
 Abacavir, Lamivudine, & Zidovudine*
 Acarbose
 Accolate
 Accupril
 Accuzyme
 Acebutolol
 Acetaminophen
 Acetazolamide #
 Acetic Acid
 Acetic Acid w/Aluminum Acetate
 Acetic Acid w/Hydrocortisone
 Acetical
 Acetohexamide
 Acetylcysteine
 Achromycin V
 Aclovate
 Actifed
 Actifed w/Codeine
 Actigall
 Actiq Lozenge*
 Activella
 Actonel
 Actos
 Acular
 Acyclovir*
 Adalat
 Adderal*
 Adrenalin
 Adriamycin
 Advair
 Aerobid
 Aerobid-M
 Agenerase*
 Agrylin
 AK-Neo-Dex
 Alamast
 Albuterol
 Alclometasone Dipropionate
 Aldactazide
 Aldactone #
 Aldara
 Aldesleukin
 Aldomet
 Aldoril
 Alemtuzumab
 Alendronate Sodium
 Alesse
 Alitretinoin*
 Alkeran
 Allegra
 Allopurinol
 Alomide Opht.
 Alphagan
 Alrex
 Altace
 Alternagel
 Altretamine
 Alu-Cap
 Alu-Tab

Alum. Hydroxide Gel
 Alum. Hydroxide Magnesium, Hyd. & Simethicone
 Alupent
 Amantadine
 Amaryl
 Ambenonium Chloride
 Ambenyl
 Ambien
 Amikacin Sulfate
 Amikin
 Aminophylline
 Amiodarone
 Amitriptyline
 Amitriptyline HCL, Perphenazine
 Amlodipine/Benazepril HCL
 Amlodipine Besylate
 Amoxicillin/Clavulanate Potassium
 Amoxicillin Trihydrate
 Amphetamine, Mixed Salts*
 Amphojel
 Amphotericin B
 Ampicillin
 Amprenavir*
 Anafranil
 Anagrelide HCL
 Anastrozole
 Ancef
 Ansaid*
 Antabuse
 Antacids (most)
 Antiminth
 Antipyrine and Benzocaine
 Antivert
 Anturane
 Anzemet
 APAP
 APAP w/Codeine
 Apraclonidine
 Apresoline
 Aquamephyton
 Aramine
 Arava
 Aredia
 Aricept*
 Arimidex
 Aristocort
 Arsenic Trioxide
 Artane
 ASA
 Asparaginase
 Aspirin #
 Aspirin Chewable
 Aspirin w/Codeine
 Aspirin - long acting
 Astelin
 Atacand
 Atapryl
 Atarax
 Atenolol #
 Ativan
 Atorvastatin Calcium
 Atovaquone*

Atropine
 Atropisol
 Atrovent
 Augmentin
 Auralgan
 Auranofin
 Aurothioglucose
 Avandia
 Avelox*
 Aventyl
 Azathioprine
 Azelastine
 Azithromycin*
 Azopt
 AZT
 Azulfidine

B

B-6 Tabs
 B-12 Injectable
 Bacitracin Opht. Oint.
 Bacitracin Topical Oint.
 Bacitracin, Polymyxin Opht. Oint
 Baclofen
 Bactrim
 Balsalazide Disodium
 Bay Rho-D*
 Beclomethasone Dipropionate
 Beclomethasone Dipropionate Monohydrate
 Belladonna Alkaloids w/Phenobarbital
 Benadryl
 Benazepril HCL
 Benemid
 Bentlyl
 Benzoyl Peroxide
 Benzotropine Mesylate
 Betapace
 Betaxolol
 Betaxolol HCL Opht. Drop
 Bethanechol Chloride
 Betimol
 Betoptic
 Bexarotene
 Biaxin*
 Biaxin XR*
 Bicalutamide
 BiCNU
 Bisacodyl Suppos.
 Bismuth Subsalicylate
 Bisoprolol Fumarate
 Bitolterol Mesylate
 Blenoxane
 Bleomycin Sulfate
 Bleph-10
 Blephamide
 Blocadren
 Bonine
 Brethaire
 Brethine
 Brevicon

Bricanyl
 Brimonidine
 Brinzolamide
 Bromocriptine Mesylate
 Budesonide MDI
 Budesonide Suspension*
 Bupropion HCL
 Bupropion HCL SR*
 Buspar
 Buspirone
 Busulfan
 Butabita/Caffeine/Acetaminophen
 Butabital/Caffeine/Aspirin
 Butenafine HCL
 Butoconazole Nitrate

C

Cafergot
 Cafergot PB
 Calamine Lotion
 Calan
 Calcimar
 Calcipotriene
 Calcitonin-Salmon
 Calcitriol
 Calcium Acetate
 Calcium Carbonate
 Calc. Carb. & Magnes. Carb.
 Calcium Gluconate #
 Calcium Lactate #
 Campath
 Camptosar
 Candesartan Cilexetil
 Capoten
 Capecitabine
 Capozide
 Captopril
 Captopril/HCTZ
 Carafate
 Carbachol
 Carbamazepine
 Carbamazepine Extended Release
 Carbatrol
 Carbenicillin
 Carbox
 Carbidopa & Levodopa
 Carboplatin
 Cardene
 Cardizem
 Cardura
 Carisoprodo
 Carmustine
 Carteolol HCL Opht. Soln.
 Carvedilol
 Casodex
 Catapres TTS

* Code 1 diagnosis requirement.
 # Minimum quantity requirement.

SBRHA FORMULARY LIST - OCTOBER 2002

Catapres	Clinoril	D	Diflunisal*
Ceclor*	Clofazimine	D-Penicillamine	Digoxin #
CeeNu	Clomipramine HCL	Dacarbazine	Dihydroxyacetone
Cefaclor*	Clonazepam*	Dactinomycin	Dilacor
Cefazolin Sodium	Clonidine HCL	Dalmane	Dilantin
Cefdinir*	Clopidogrel Bisulfate*	Dalteparin	Dilaudid
Cefixime*	Clotrimazole	Dantrium	Diltiazem HCL
Cefonicid Sodium	Clozapine	Dantrolene Sodium	Dimetapp Elixir
Cefprozil*	Clozaril	Dapsone	Diovan
Ceftazidime	Coal Tar	Daraprim	Diovan/HCTZ
Ceftriaxone	Codeine & Acetaminophen	Darvocet-N100	Diphenhydramine HCL
Cefzil*	Codeine & Aspirin	Darvon	Diphenoxylate HCL w/Atropine Sulfate
Celexa	Codeine Phosphate Inj.	Daunorubicin Cit. Liposome	Dipivefrin HCL Opht. Soln.
Cellcept*	Cogentin	Daunorubicin HCL	Dipyridamole #
Cenestin	Colazal	Daunoxome	Disalacid*
Cephalexin	Colbenemid	DDAVP	Disulfiram
Cephulac*	Colchicine #	Ddl*	Ditropan
Cerubidine	Colesevelam HCL	Decadron	Ditropan Syrup
Cetapred	Colestid	Delavirdine Mes.*	Ditropan XL
Cetirizine HCL	Colestipol HCL	Demerol	Divalproex Extended Release
Chemet	Collagenase Oint.	Demulin	Divalproex Sodium
Cheracol	Combivent	Denileukin Diftitox	Docetaxel
Children's Advil	Combivir*	Depakene	Docusate Sodium
Children's Motrin	Compazine	Depakote	Dolasetron Mes.
Chloral Hydrate	Comtan	Depakote ER	Dolobid*
Chlorambucil	Concerta*	Depen	Dolophene
Chlordiazepoxide*	Condylox	Depo-Provera Contraceptive	Domeboro
Chloroptic	Cordarone	Depo-Testadiol	Donepezil HCL*
Chloroquine - 250 mg	Coreg	Depo-Testosterone	Donnatal
Chlorpheniramine Mal., Phenyleph HCL, Pot. Iodide and Cod.	Corgard	Dermatop	Dopar
Chlorpromazine	Cort-Enema	Desipramine HCL	Dorzolamide HCL Opht. Soln.
Chlorpropamide #	Cortisone (inj)	Desmopressin Acetate	Dorzolamide HCL and Timolol Maleate Opht. Soln.
Chlorthalidone #	Cortisporin Otic	Desogen	Dovonex
Chlorthalidone #	Cortone	Desogestrel & Ethinyl Estradiol	Doxazosin Mesylate
Chlorthalidone #	Cosmegen	Desyrel	Doxepin HCL
Chlorthalidone #	Cosopt	Detrol	Doxercaliferol
Cholestyramine	Cotazyme	Detrol LA	Doxil
Choline Magnesium Trisalicylate	Coumadin	Dexamethasone	Doxorubicin HCL
Ciclopirox Topical	Cozaar	Dexamethasone w/Neomycin	Doxorubicin HCL Liposome
Cidofovir*	Crixivan*	Dexamethasone w/Neomycin & Polymyxin	Doxycycline Hyclate*
Cilostazol*	Crolom	Dexamethasone w/Tobramycin	Dronabinol*
Ciloxin	Cromolyn Sodium	Dexedrine*	DTIC-Dome
Cimetidine	Crotamiton	Dextroamphetamine Saccharate*	Dulcolax
Cipro*	Cuprimine	Dextroamphetamine Sulfate*	Duphalac*
Ciprofloxacin*	Cutivate	DHT	Duragesic*
Ciprofloxacin HCL Opht. Soln.	Cyanocobalamin (inj)	Diabeta	DV Cream
Ciprofloxacin HCL/HC Otic Susp.	Cyclobenzaprine HCL	Diabetic Supplies (most)	Dyazide 50-25 #
Cisapride*	Cyclogyl	Diabinese #	Dymelor #
Cisplatin	Cyclopentolate	Diamox	Dynacirc
Citalopram HBR	Cyclophosphamide	Diazepam*	Dynapen
Cladribine	Cycloserine	Dicalcium Phosphate 500mg with or w/o Vit. D	Dyrenium #
Clarithromycin*	Cyclosporin*	Dical-D	
Claritin	Cyclosporin Micro Emulsion*	Diclofenac Oph.	
Cleocin	Cylert*	Diclofenac Sodium*	E
Cleocin T	Cymevez*	Dicloxacillin Sodium	E-Mycin
Cleocin Vag. Cream	Cytarabine	Dicyclomine	E-Pilo
Climara Patches	Cytosar-U	Didanosine*	Echothiophate
Clindamycin HCL	Cytotec	Dienestrol cream	Econazole Nitrate
Clindamycin Phosphate	Cytovene*	Diflucan*	Econopred (plus)
	Cytoxan		

* Code 1 diagnosis requirement.
Minimum quantity requirement.

SBRHA FORMULARY LIST - OCTOBER 2002

Edecrin	Estring	Fluorouracil	Go LYTELY
EES	Estrogen, Conj. A	Fluoxetine HCL	Gold Sodium Thiomalate
Efavirenz*	Estrogens, Conjugated	Fluoxymesterone	Goserelin Acetate
Effexor	Estrogens, Conjugated w/ Medroxyprogesterone	Fluphenazine	Granisetron HCL
Effexor SR	Estrogens, Conjugated w/Methyltestosterone	Flura Drops	Grisactin Ultra
Efudex	Estrogens, Esterified	Flurazepam	Griseofulvin
Elavil	Estrogens, Esterified w/Methyltestosterone	Flurbiprofen*	Gris-Peg
Eldepryl	Ethacrynic Acid	Flutamide	Guaifenesin
Electrolytes, Oral Maint.	Ethambutol	Fluticasone	Guaifenesin LA
Elimite	Ethinyl Estradiol	Fluticasone/Salmeterol	Guaifenesin w/Codeine
Ellixophyllin	Ethionamide	Fluvastatin Sodium	Guaifenesin Pseudo-LA
Ellence	Ethosuximide	Fluvoxamine Mal.	Guanabenz Acetate
Elmiron	Ethynodiol Dialstate & Ethinyl Estrad.	FML	Guanfacine HCL
Elspar	Etoposide	FML Forte	Gyne-Lotrimin
Emcyt	Etoposide Phos. Inj.	Folic Acid #	
EMLA*	Etrafon	Foradil	H
Empirin w/Codeine	Eulexin	Formoterol Fumarate	Halcion
Enalapril/HCTZ	Eurax	Fortaz	Haldol
Enalapril Maleate	Evista*	Fortovase*	Haloperidol
Enalapril Maleate & Felodipine	Exemestane	Fosamax	Halotestin
Enoxaparin Sod.	Exelon*	Foscarnet Sodium*	Hectorol
Entacapone		Foscavir*	Heparin
Entex PSE		Fosinopril	Herceptin
Enulose*		Fragmin	Hexalen
Epifrin		Fudr (sterile)	Hiprex
Epinal		Fulvicin PG	Hivid*
Epinephrine	F	Furadantin	Homatropine
Epinephryl Borate	Famciclovir*	Furazolidone	Humabid LA
Epivir*	Famvir*	Furosemide #	Humatin
Epirubicin HCL	Famotidine	Furoxone	Humalog
Epoetin Alfa*	Fareston		Hyaluronidase
Epogen*	Feldene	G	Hycamtin
Eppy/N	Felodipine	Gabapentin	Hydralazine
Ergamisol	Femara	Gabitril	Hydrea
Ergocalciferol	Fem HRT	Galantamine Hydrobromide*	Hydrochlorothiazide #
Ergoloid Mesylates Sublingual	Femstat	Gammagard*	Hydrocodone / APAP
Ergonovine Maleate	Fenofibrate, Micronized	Ganciclovir Sodium*	Hydrocodone / APAP ES
Ergotamine Tartrate and Caffeine	Fenoprofen*	Gantrisin	Hydrocortisone
Ergotamine Tartrate w/Caffeine, Pentobarb. Sod, Belladonna Alk	Fentanyl*	Garamycin	Hydrocortisone Acetate w/Pramoxine
Ergotrate Maleate	Fentanyl Citrate*	Gatifloxacin	Hydrocortisone w/PolymyxinB
Eryped	Ferrous Sulfate #	Gemcitabine HCL	Hydrocortisone w/Polymyxin B and Neomycin
Erythrocin Stearate	Fexofenadine HCL	Gemfibrozil	Hydrocortisone Rectal Foam Aerosol
Erythromcin and Sulfisoxazole	Fioricet	Gemzar	Hydrocortone
Erythromycin Opht. Oint.	Fiorinal	Gengraf*	Hydrodiuril #
Erythromycin Base	Flagyl	Gentamicin	Hydromorphone
Erythromycin Ethylsuccinate	Flarex	Geocillin	Hydroxychloroquine
Erythromycin Stearate	Flexeril	Geodon	Hydroxyurea
Esidrix	Fiomax	Glargine, Insulin	Hydroxyzine HCL
Eskalith	Fionase	Glaucan Solution	Hydroxyzine Pamoate
Estinyl	Florinef	Glauc Tabs	Hygroton #
Estrace	Flovent	Gleevec	Hytrin
Estraderm	Floxin*	Glimepiride	Hyzaar
Estradiol	Floxuridine	Glipizide	
Estradiol and Noregestimate	Flu Vaccine	Glucagon	I
Estradiol and Norethindrone Acetate	Fluconazole*	Glucophage	Ibuprofen
Estradiol Cypionate and Testosterone Cypionate	Fludara	Glucophage XR	Ifosfamide w/Mesna
Estradiol Ring	Fludarabine Phosphate	Glucotrol	Ilotycin Oph. Oint.
Estradiol Transdermal	Fludrocortisone Acetate	Glucotrol XL	Imatinib Mesylate
Estramustine Phosphate	Flunisolide	Glucovance	Imdur
Estratab	Fluocinolone	Glyburide	Imipramine
Estratest	Fluocinonide	Glyburide Micronized	Imiquimod
Estratest HS	Fluonid	Glycopyrrolate	
	Fluorometholone	Gynase Pres-tab	
	Fluoroplex	Glyset	

* Code 1 diagnosis requirement.
Minimum quantity requirement.

SBRHA FORMULARY LIST - OCTOBER 2002

Imitrex	Keppra	Lithane	Meperidine HCL
Immune Globulin, IV*	Kerlone	Lithium Carbonate	Mephyton
Immune Globulin Rho(D), IV*	Ketoconazole	Lithium Citrate	Mepron*
Imuran	Ketoprofen*	Lithobid	Mercaptopurine
Indapamide	Ketorolac Trometh. Opht. Soln.	Lithonate	Mesoridazine
Inderal #	Ketotifen Fumarate	Livostin	Mestinon
Inderal L.A.	Klonopin*	Lo/ovral	Metaproterenol
Indinavir Sulfate*	Konakion	Lodoxamide Opht. Soln.	Metformin Extended Release
Indocin	Kytril	Lomotil	Metformin HCL
Indomethacin		Lomustine	Metformin & Glyburide
Indomethacin ER	L	Lopid	Methadone
Infergen*	Labetalol HCL	Lopinavir & Ritonavir*	Methazolamide
Inflamase (Forte)	Lactulose*	Lopressor	Methenamine Hippurate
Influenza Virus Vac.	Lamictal	Loprox	Methenamine Mandelate
INH	Lamisil Tablets	Loratadine	Methergine
Innohep	Lamivudine*	Lorazepam	Methimazole
Insulin	Lamivudine & Zidovudine*	Losartan	Methocarbamol
Insulin (human)	Lamotrigine	Losartan w/ HCTZ	Methotrexate
Insulin, Lispro (rDNA Orig.)	Lamprene	Lotensin	Methylidopa
Intal	Lanoxin #	Loteprednole Etabonate	Methylidopa w/HCTZ
Interferon Alpha 2A	Lansoprazole	Lotrel	Methylergonovine Maleate
Interferon Alpha 2B	Lantus	Lotrimin	Methylphenidate HCL Immediate and SR*
Interferon Alphacon-1*	Larodopa	Lovastatin	Methylphenidate ER*
Intravenous Solutions*	Lasix #	Lovenox	Methyltestosterone
Intron A	Latanoprost	Loxapine	Meticorten
Invirase*	LCD Solution	Loxitane	Metimyd
ipidine	Leflunomide	Lozol	Metipranolol HCL
Ipratropium Bromide	Lescol	Luminal	Metoclopramide HCL
Ipratropium Br & Albuterol	Letrozole	Lunelle	Metrogel
Irinotecan HCL	Leucovorin Calcium	Lupron*	Metolazone
Iron Dextran Injection	Leukeran	Luride #	Metoprolol Tartrate
Isoetharine HCL	Leuprolide Acetate*	Luvox	Metronidazole
Isometheptene	Leustatin	Lysodren	Mevacor
Dichloralphenazone Apap	Levalbuterol HCL		Mexiletine HCL
isoniazid	Levamisole HCL	M	Mexitil
isoptin-SR	Levaquin	Maalox Reg. & Ex. Str.	Miacalcin
Isopto Atropine	Levatol	Macrobid	Micardis
Isopto Carbachol	Levetiracetam	Macrodantin	Micardis HCT
Isopto Carpine	Levlen	Malathion	Miconazole Nitrate
Isopto Cetamide	Levlite	Mandelamine	Miconase
Isopto Cetapred	Levocabastine HCL Opht. Soln.	Marinol*	Micronor
Isopto Homatropine	Levocarnitine	Matulane	Midrin
Isopto Hyoscine	Levodopa	Mavik	Miglitol
Isordil #	Levofloxacin	Maxair	Minipress
Isordil Titradose	Levofloxacin Oph. Sol.	Maxair Autoinhaler	Mintezol
Isosorbide Dinitrate #	Levonorgestrel & Ethinyl Estradiol	Maxidex	Mirapex
Isosorbide Mononitrate	Levo-Dromoran	Maxitrol	Mircette
Isradipine	Levora	Maxzide	Mirtazapine
Iveegam*	Levorphanol Tartrate	Mebendazole	Misoprostol
Itraconazole*	Levothyroxine Sodium #	Mechlorethamine HCL	Mithracin
	Levoxyl #	Meclizine HCL	Mitomycin
	Lexxel	Medroxyprogesterone Acetate	Mitotane
	Librium*	Medroxyprogesterone Acetate/Estradiol	Mitoxantrone*
K	Lidex	Megace	Moban
Kaletra*	Lidocaine HCL	Megesterol Acetate	Mobic*
Kanamycin Sulfate Inj.	Lidocaine/Prilocaine*	Mellariil	Moexipril HCL
Kantrex Inj.	Linezolid*	Meloxicam*	Moexipril/HCTZ
Karidium	Lioresal	Melphalan	Molindone HCL
Kay Ciel	Lipitor	Menest	Mometasone Furoate Nasal Spray
Keflex	Liquaemin	Mentax	Monistat-3
Kemadrin	Liquor Carbonis Detergens		Monistat Derm
Kenalog	Lisinopril		Monistat Dual-Pak

* Code 1 diagnosis requirement.

Minimum quantity requirement.

SBRHA FORMULARY LIST - OCTOBER 2002

Podofilox Soln. & Gel	Promethazine w/Phenylephrine	Renal Vitamin-Iron Formulas*	Sectral
Polyestradiol Phosphate	Promethazine w/Phenylephrine and Codeine	Repaglinide	Selegiline HCL
Polyethylene Glycol Soln.	Pronestyl	Requip	Selenium Sulfide
Polymyxin, Bacitracin	Propantheline Bromide	Rescriptor*	Septra
Polymixin B, Sulfate & Bacitracin Zinc	Proparacaine HCL	Rescula	Serentil
Polysporin	Propine	Restoril	Serevent
Polysporin Oph. Oint.	Propoxyphene HCL	RetinA*	Seromycin
Polytrim Oph. Soln.	Propoxyphene NAP/APAP	Retrovir*	Seroquel
Porfimer Sod.	Propranolol #	Ribavirin & Interferon Alfa 2B*	Serostim*
Potassium Chloride #	Propranolol-LA	Rid	Sertraline
Potassium Chloride LA	Propulsid*	Ridaura	Serzone
Potassium Iodide Saturated Soln.	Propylene Glycol	Rifabutin*	Sevelamer HCL*
Pramosone Cream	Propylthiouracil	Rifadin	Silvadene
Pramipexole	Protein Bars*	Rifamate	Silver Sulfadiazine
Prandin	Protonix	Rifampin	Sinemet
Prazosin HCL	Protonix	Rifampin and Isoniazid	Sinemet SR
Precose	Proventil	Rifampin, Isoniazid and Pyrazinamide	Sinequan
Pred Forte	Provera	Rifapentine	Singulair
Pred Mild	Prozac	Rifater	SMZ/TMP
Prednicarbate	Pseudoephedrine HCL	Rilutek*	Sodium Chloride Inj.*
Prednisolone	Psuedoepherine/ Guaifenesin L.A.	Riluzole*	Sodium Chloride Inhal. Solution
Prednisolone, Neomycin, Polymyxin B	Pulmicort Respules*	Rimactane	Sodium Chloride Irrig. Solution
Prednisolone Oph.	Pulmicort Turbuhaler	Rimexolone Opht. Susp.	Sodium Fluoride #
Prednisolone w/ Sulfacetamide	Purinethol	Risedronate Sod.*	Soma
Prednisone Tabs	Pyrantel Pamoate (Liq.)	Risperdal	Somatropin* (rDNA origin)
Prednisone Liquid	Pyrazinamide	Risperidone	Sonata*
Premarin	Pyrethrins Liquid	Ritalin*	Sorbitrate
Premarin MT	Pyridium	Ritalin SR*	Sotalol HCL
Premphase	Pyridostigmine	Ritodrine HCL Inj.	Spectazole
Prempro	Pyridoxine	Ritonavir*	Spironolactone #
Prenatal OTC Vitamins* #	Pyrimethamine	Rituxan	Spironolactone w/HCTZ
Preven Emergency Contraceptive		Rituximab Inj.	Sporanox*
Prevacid	Q	Rivastigmine*	SSKI
Priftin	Questran	Robaxin	Starlix
Primaquine	Questran Light	Robinul	Stavudine*
Primidone	Quetiapine Fumarate	Robinul Forte	Stelazine
Prinivil	Quinaglute	Robitussin	Stimate
Procrit*	Quinapril HCL	Robitussin AC	Streptomycin
Probanthine	Quinidine Gluconate	Robitussin CF	Streptozocin
Probenecid	Quinidine Sulfate	Robitussin DM	Succimer
Probenecid w/Colchicine #	Quinine #	Robitussin PE	Sucralfate
Procainamide	Quinine Sulfate #	Rocaltrol	Sudafed
Procainamide SR	Quixin	Rocephin	Sulamyd
Procaine Penicillin G	QVAR	Roferon-A	Sular
Procarbazine		Ropinirole HCL	Sulfacetamide Sodium
Procardia	R	Rosiglitazone Mal.	Sulfadiazine
Procardia XL	Raloxifene HCL*	Roxicodone	Sulfasalazine
Prochlorperazine	Ramipril	Rubex	Sulfasalazine
Procrit*	Ranitidine		Sulfathiazole, Sulfacetamide, Sulfabenzamide
Procyclidine	Rebretron*	S	Sulfipyrazone
Progesterone (inj)	Reglan	Salmeterol Xinafoate	Sulfisoxazole
Proleukin	Relafen*	Salsalate*	Sulindac
Prolixin	Relenza*	Salsitab*	Sultrin
Proloprim	Remeron	Sandimmune*	Sumatriptan Succinate
Promethazine	Reminyl*	Sandoglobulin*	Suprax*
Promethazine w/Codeine	Renacidin	Saquinavir*	Sustiva*
Promethazine w/Dextromethorphan	Renagel*	Saquinavir Mesylate*	Symmetrel
		Scopolamine HBr Oph.	Synalar
			Synthroid #

* Code 1 diagnosis requirement.
Minimum quantity requirement.

SBRHA FORMULARY LIST - OCTOBER 2002

T

Tagamet
 Tamiflu*
 Tamoxifen Citrate
 Tamsulesin
 Tapazole
 Targretin
 Tasmar
 Taxol
 Taxotere
 Tazarotene*
 Tazicef
 Tazidime
 Tazorac*
 Tegretol
 Tegretol XR
 Telmisartan
 Telmisartin w/HCTZ
 Temazepam
 Temodar
 Temozolomide
 Tenex
 Teniposide Inj.
 Tenofovir Disoproxil*
 Tenormin #
 Tequin
 Terazol
 Terazosin HCL
 Terbinafine Tablets
 Terbutaline
 Terconazole
 Teslac
 Testolactone
 Testosterone
 Tetracycline
 Theophylline
 Thiabendazole
 Thiamine HCL Inj.
 Thioguanine
 Thioplex
 Thioridazine
 Thiotepa
 Thiothixene
 Thorazine
 Thyroid Replacement#
 Tiagabine HCL
 Tiazac
 Timolol Hemihydrate Ophth. Soln.
 Timolol Maleate
 Timoptic
 Tinactin
 Tinzaparin Sodium
 Tobradex
 Tobramycin Inj.
 Tobrex Eyedrops
 Tofranil
 Tolazamide
 Tolbutamide #
 Tolcapone
 Tolectin
 Urethra
 Urethra

Tolmetin
 Tolnaftate
 Tolterodine Tartrate
 Topotecan HCL
 Toremfene Citrate
 Tornalate
 Tramadol HCL
 Trandate
 Trandolapril
 Tranylcypromine
 Trastuzumab
 Travatan
 Travoprost Ophth. Sol.
 Trazodone
 Trecator SC
 Trelstar
 Trental
 Tretinoin*
 Triamcinolone
 Triaminic
 Triamterene #
 Triamterene w/HCTZ #
 Triavil
 Triazolam
 Tricor
 Triethylenethiophos-phoramidate
 Trifluoperazine
 Trifluridine Ophth.
 Trihexyphenidyl HCL
 Trilafon
 Trileptal
 Trilisate
 Trimethoprim
 Trimethoprim/Polymyxin Ophth. Soln.
 Trimethoprim and Sulfamethoxazole
 Trimetrexate Glucuronate
 Trimox
 Trimpex
 Triphasil
 Triprolidine HCL /PSE w/Codeine
 Triptorelin Pamoate
 Trisenox
 Tri-vi-sol* #
 Trivora
 Trizivir*
 Tropicamide
 Trusopt
 Tylenol
 Tylenol w/Codeine
 Tyloxapal w/Benzalkonium Chloride Ophth.

U

Ultram
 Uniretic
 Univasc
 Unoprostone Isopropyl Oph.
 Uracil Mustard
 Urecholine
 Urex
 Ursodiol

V

Vagifem
 Valium*
 Valacyclovir HCL*
 Valganciclovir HCL*
 Valproic Acid
 Valrubicin
 Valsartan
 Valsartan HCTZ
 Valstar
 Valtrex*
 Vancenase
 Vancenase AQ
 Vanceril
 Vancomycin
 Vaseretic
 Vasocidin
 Vasocon
 Vasocon-A
 Vasotec
 Veetids
 Velban
 Venlafaxine HCL
 Ventolin
 VePesid
 Verapamil HCL
 Vercyte
 Vermox
 Vesanoide
 Vexol
 Vibramycin
 Vicodin
 Vicoden ES
 Vi-Daylin*
 Videx*
 Vinblastine Sulfate
 Vincristine Sulfate
 Vinorelbine Tartrate
 Viokase
 Viracept*
 Viramune*
 Viread*
 Viroptic
 Visken
 Vistaril
 Vistide*
 Vitamins ADC* #
 Vitamins ADC & F* #
 Vitamins ADC, w/F & Iron
 Vitamins ADC w/Iron*
 Vitamin B-1 Inj.
 Vitamin B-12 inj
 Vitamin B-6
 Vitamin D
 Vitamins Prenatal*
 Vivactil
 Voltaren EC Tabs*
 Voltaren Ophth.
 Vosol
 Vosol-HC Otic
 Vumon

W

Warfarin Sodium
 Water for Injection
 WelChol
 Wellbutrin
 Wellbutrin SR*
 Wigraine
 Wydase
 Wytensin

X

Xalatan
 Xeloda

Y

Yutopar Inj.

Z

Zaditor
 Zafirlukast
 Zalcitabine*
 Zaleplon*
 Zanamivir*
 Zanosar
 Zantac
 Zaronin
 Zaroxolyn
 Zebeta
 Zerit*
 Zestril
 Ziagen*
 Zidovudine*
 Ziprasidone
 Zithromax*
 Zofran
 Zofran ODT
 Zoladex
 Zolofit
 Zolpidem Tartrate
 Zonegran
 Zonisamide
 Zovirax*
 Zyban*
 Zylproprim
 Zyprexa
 Zyrtec
 Zyovox*

* Code 1 diagnosis requirement.
 # Minimum quantity requirement.

CODE 1 DEFINITIONS OF RESTRICTIONS

Effective October 2002

Generic/(TRADE) Name

Abacavir (ZIAGEN)	restricted to use in treatment of HIV disease
Abacavir/Lamivudine/Zidovudine (TRIZIVIR)	restricted to use in treatment of HIV disease
Acyclovir (ZOVIRAX)	restricted to use in treatment of 1) Genital Herpes (HS II) 2) Immunocompromised patients 3) Shingles (Herpes Zoster)
Alitretinoin (PANRETIN)	restricted to use in the treatment of cutaneous lesions of Kaposi's Sarcoma in AIDS pts
Amphetamine, Mixed Salts (ADDERAL)	restricted to a diagnosis of Attention Deficit Disorder
Amprenavir (AGENERASE)	restricted to use in treatment of HIV disease
Atovaquone (MEPRON)	for use only in treatment or prevention of Pneumocystis pneumonia in patients who are intolerant of trimethoprim-sulfamethoxazole
Azithromycin (ZITHROMAX)	1) 600 mg tablets restricted to use in prevention of Mycobacterium infections 2) Suspension 200mg/5cc restricted to < 8 yrs old, or failure of a trial of first line Antibiotic at any age
Budesonide Suspension (PULMICORT RESPULES)	Restricted to use in children < 8 yrs of age
Bupropion SR for smoking cessation (ZYBAN)	pharmacy needs to have a letter or certificate of enrollment verify that the pt is in a behavioral modification smoking cessation program

CODE 1 - DEFINITIONS OF RESTRICTIONS - OCTOBER 2002

Cefaclor (CECLOR)	for use only in pts> 50 yrs old with lower respiratory tract infections (RTI)
Cefdinir (OMNICEF)	restricted to use in pts< 8 yrs old
Cefixime (SUPRAX)	1) liquid: for use only in pts< 8 yrs old with OM 2) tablet: restricted to the use in treatment of Neisseria gonorrhoeae
Cefprozil (CEFZIL)	restricted for use in pts< 8 yrs of age
Chlordiazepoxide (LIBRIUM)	for use only in treatment of alcoholism
Cidofovir (VISTIDE)	restricted to use in treatment of HIV disease
Cilostazol (PLETAL)	1) for use in pts> 65 yrs of age diagnosed with intermittent claudication 2) for diabetic pts of any age with intermittent claudication
Ciprofloxacin (CIPRO)	for use in the treatment of: 1) pts> 50 yrs old with lower RTI 2) osteomyelitis 3) pulmonary exacerbations in pts with Cystic Fibrosis 4) Urinary tract infections (UTI)
Clarithromycin (BIAXIN)	restricted to: 1) infections caused by Mycobacterium 2) Active duodenal ulcer associated with Helicobacter Pylori
Clonazepam (KLONOPIN)	restricted to the diagnoses of schizophrenia or seizures
Clopidogrel Bisulfate (PLAVIX)	limited to treatment of pts with documented atherosclerosis such as recent strokes, MI or established peripheral vascular disease
Cyclosporine (NEORAL, & SANDIMMUNE)	restricted to use for organ transplant
Delaviridine Mesylate (RESCRIPTOR)	restricted to use in the treatment of HIV disease

CODE 1 - DEFINITIONS OF RESTRICTIONS - OCTOBER 2002

Dextroamphetamine Sulfate (DEXEDRINE)	restricted to the diagnosis of ADD
Diazepam (VALIUM)	restricted to use in Cerebral Palsy, Athetoid states or spinal cord degeneration
Diclofenac Sodium (VOLTAREN)	restricted to use for arthritis
Didanosine (VIDEX, Ddl)	restricted to use in the treatment of HIV disease
Diflunisal (DOLOBID)	restricted to use for arthritis
Donepezil HCl (ARICEPT)	restricted to treatment of mild to moderate dementia of the Alzheimer's type
Doxycycline Hyclate (PERIOSTAT)	no restrictions on strengths 50 or 100mgs but 20mg tablet or capsule is restricted for use as an adjunct therapy to aggressive local dental measures in adults with peridontitis
Dronabinol (MARINOL)	restricted to use in the treatment of anorexia associated with weight loss in pts with AIDS
Efavirenz (SUSTIVA)	restricted to use in the treatment of HIV disease disease
Epoetin alfa (EPOGEN or PROCRIT)	for use in the treatment of anemia due to: 1) Zidovudine therapy 2) cancer chemotherapy 3) or chronic renal failure
Famciclovir (FAMVIR)	restricted for use to: 1) Genital Herpes 2) Shingles (Herpes Zoster) 3) Herpes Simplex infection in HIV pt

CODE 1 - DEFINITIONS OF RESTRICTIONS - OCTOBER 2002

Fenoprofen (NALFON)	restricted to use for arthritis
Fentanyl, transdermal (DURAGESIC)	restricted for use in cancer patients with chronic severe pain
Fentanyl Citrate Transmucosal,oral (ACTIQ)	restricted to use in pts with breakthrough pain who are tolerant to opioid therapy
Fluconazole (DIFLUCAN)	1) Cancer and HIV patients 2) for the treatment of vaginal candidiasis 3) treatment of Coccidioides Immitis infections
Flurbiprofen (ANSAID)	restricted to use for arthritis
Foscarnet Sodium (FOSCAVIR)	restricted to use in treatment of HIV disease
Galantamine Hydrobromide (REMINYL)	restricted to treatment of mild to moderate dementia of the Alzheimer's type
Ganciclovir (CYTOVENE)	restricted to use in treatment of AIDS related conditions
Immune Globulin (GAMMAGARD, IVEEGAM, SANDOGLOBULIN)	for use only in the pediatric population (<13) with HIV disease
Immune Globulin Rh ₀ (BAYRHO-D)	restricted for use in the treatment of ITP secondary to HIV disease
Indinavir Sulfate (CRIXIVAN)	restricted to use in the treatment of HIV disease
Interferon alfacon-1 (INFERGEN)	restricted to use in the treatment of chronic hepatitis C infection
Itraconazole (SPORANOX)	restricted to use in patients with an AIDS related condition
Ketoprofen (ORUDIS)	restricted to use for arthritis
Lactulose (CEPHULAC, DUPHALAC, ENULOSE)	restricted to treatment of liver disease

CODE 1 - DEFINITIONS OF RESTRICTIONS - OCTOBER 2002

Lamivudine (EPIVIR)	restricted to use in the treatment of HIV disease
Lamivudine,& Zidovudine (COMBIVIR)	restricted to use in the treatment of HIV disease
Leuprolide Acetate (LUPRON)	only for use in treatment of cancer
Lidocaine/Prilocaine (EMLA)	restricted for use in patients < 21 yrs of age and require a needle procedure
Linezolid (ZYVOX)	may only be used following discharge from inpt. hospitalization when pt was on Linezolid or Quinupristin/Dalopriston immediately prior to discharge. Max of a 21 day supply
Lopinavir & Ritonavir (KALETRA)	restricted to use in the treatment of HIV disease
Meloxicam (MOBIC)	restricted to use for arthritis
Methylphenidate HCL immediate & sustained release (RITALIN)	restricted for use in Attention Deficit Disorder.
Methylphenidate HCL extended release (CONCERTA)	restricted for use in Attention Deficit Disorder and age 4-16 years
Mitoxantrone (NOVANTRONE)	restricted to use in the treatment of Cancer
Moxifloxacin (AVELOX)	restricted to use in pts > 50 yrs old with lower respiratory tract infection
Mycophenolate Mofetil (CELLCEPT)	for use in renal and cardiac transplant patients
Nabumetone (RELAFEN)	restricted to use for arthritis

CODE 1 - DEFINITIONS OF RESTRICTIONS - OCTOBER 2002

Nelfinavir Mesylate (VIRACEPT)	restricted to use in the treatment of HIV disease
Nevirapine (VIRAMUNE)	restricted to use in the treatment of HIV disease
Nicotine Patch (NICOTROL & NICODERM)	For each 6 week period, the pharmacy needs a certificate of enrollment for the patient from a behavioral modification smoking cessation program. Originally, NICOTROL 15 mg /16 hrs by McNeil was the only patch covered. However, due to shortages, NICODERM is also now covered until such time as NICOTROL is again readily available.
Ofloxacin (FLOXIN)	limited to use in the treatment of sexually transmitted diseases
Oseltamivir Phosphate (TAMIFLU)	restricted to use in the treatment of acute influenza viral infection in patients at high risk of complications who also have underlying airway disease or are incapable of using an inhaler device, and have been sick for < 2 days
Oxandrolone (OXANDRIN)	restricted to use in patients with AIDS related wasting
Paroxetine (PAXIL)	restricted to use for Social Anxiety Disorder
Pemoline (CYLERT)	restricted to a diagnosis of Attention Deficit Disorder
Pentamidine Powder (NEBUPENT)	restricted to the prevention of PCP (Pneumocystis pneumonia) if the pt is also infected with HIV and has a previous history of PCP or T4< 200
Prenatal Vitamins	restricted to women with confirmed positive pregnancy test, and may be continued for 90 days post-partum
Protein Bars (REGAIN & SUPPLICAL)	restricted to pts on peritoneal dialysis with low albumins
Raloxifene (EVISTA)	restricted to use in the prevention of osteoporosis in post-menopausal women. An MRF is required if being used for treatment of osteoporosis as opposed to prevention
Renal Vitamins w/Iron	restricted to use for pts with renal disease

CODE 1 - DEFINITIONS OF RESTRICTIONS - OCTOBER 2002

Ribavirin & Interferon (REBETRON)	restricted to use in the treatment of Hepatitis C
Rifabutin (MYCOBUTIN)	restricted to use in the prevention of MAC (Mycobacterium Avium Complex) disease in pts with advanced HIV
Riluzole (RILUTEK)	restricted to use in the treatment of ALS (Amyotrophic Lateral Sclerosis)
Ritonavir (NORVIR)	restricted to use in the treatment of HIV disease
Rivastigmine Tartrate (EXELON)	restricted to treatment of mild to moderate dementia of the Alzheimer's type
Salsalate (DISALCID, SALSITAB)	restricted to use in arthritis
Saquinavir (FORTOVASE)	restricted to use in the treatment of HIV disease
Saquinavir Mesylate (INVIRASE)	restricted to use in the treatment of HIV disease
Sevelamer HCl (RENAGEL)	restricted to use in treatment of patients with end-stage renal disease on dialysis
Sodium Chloride injection	limited to use in combination with Heparin lock flush solution for flushing intravenous equipment
Somatropin (rDNA origin) (SEROSTIM)	restricted to use in the treatment of pts wasting from AIDS or with AIDS associated cachexia
Stavudine (ZERIT)	restricted to use in the treatment of HIV disease
Tazarotene (TAZORAC)	restricted to use in the treatment of Psoriasis

CODE 1 - DEFINITIONS OF RESTRICTIONS - OCTOBER 2002

Tenofovir Disoproxil Fumerate (VIREAD)	restricted to use in treatment of HIV disease
Tretinoin (RETIN-A)	for use in acne
Valacyclovir HCl (VALTREX)	restricted to use in genital Herpes (HSV II) and shingles (Herpes Zoster)
Valganciclovir HCL (VALCYTE)	restricted to use in the treatment of AIDS & AIDS-related conditions
Vitamins ADC with or without Fluoride or Iron (TRI-VI-SOL, VI-DAYLIN)	limited to use in children < 5 years of age
Zalcitabine (HIVID)	restricted to use in the treatment of HIV disease
Zaleplon (SONATA)	restricted to use in the treatment of insomnia
Zanamivir (RELENZA)	restricted to use in the treatment of acute illness (< 2 days duration of symptoms) due to Influenza virus in pts at high risk of complications from influenza. An MFR is required if intended use is for the prevention of influenza after exposure
Zidovudine (RETROVIR, AZT)	restricted to use in the treatment of HIV disease