



Santa Barbara Regional Health Authority

FORMULARY LIST AND CODE 1 DEFINITIONS OF RESTRICTIONS

EFFECTIVE MAY 2003

The Health Authority mandates generic substitution when an “AB” rated equivalent generic product is available. Generally if a prescriber wants a brand name drug and designates *Do Not Substitute* on the prescription, then a MRF must also be submitted explaining why a brand name drug is required.

Prescription quantities should not exceed a 30-day supply of medication unless specified as an exception to this rule. On the following pages, drugs that must be dispensed as 100-units and are an exception to the 30-day supply rule are indicated by a #.

SBRHA FORMULARY LIST – May 2003

<p>A</p> <p>A-200 Pyrinat</p> <p>Abacavir*</p> <p>Abacavir, Lamivudine, & Zidovudine*</p> <p>Acarbose</p> <p>Accolate</p> <p>Accupril</p> <p>Accuzyme</p> <p>Acebutolol</p> <p>Acetaminophen</p> <p>Acetazolamide #</p> <p>Acetic Acid</p> <p>Acetic Acid w/Aluminum Acetate</p> <p>Acetic Acid w/Hydrocortisone</p> <p>Acetial</p> <p>Acetohexamide</p> <p>Acetylcysteine</p> <p>Achromycin V</p> <p>Aclovate</p> <p>Actifed</p> <p>Actifed w/Codeine</p> <p>Actigall</p> <p>Actiq Lozenge*</p> <p>Activella</p> <p>Actonel</p> <p>Actos</p> <p>Acular</p> <p>Acyclovir*</p> <p>Adalat</p> <p>Adderal*</p> <p>Adrenalin</p> <p>Adriamycin</p> <p>Advair</p> <p>Aerobid</p> <p>Aerobid-M</p> <p>Agenerase*</p> <p>Agrylin</p> <p>AK-Neo-Dex</p> <p>Alamast</p> <p>Alavert#</p> <p>Albuterol</p> <p>Alclometasone Dipropionate</p> <p>Aldactazide</p> <p>Aldactone #</p> <p>Aldara</p> <p>Aldesleukin</p> <p>Aldomet</p> <p>Aldoril</p> <p>Alemtuzumab</p> <p>Alendronate Sodium</p> <p>Alesse</p> <p>Alitretinoin*</p> <p>Alkeran</p> <p>Allopurinol</p> <p>Almotriptan</p> <p>Alomide Opht.</p> <p>Alphagan P</p> <p>Alrex</p> <p>Altace</p> <p>Altemagel</p> <p>Altretamine</p> <p>Alu-Cap</p> <p>Alu-Tab</p> <p>Alum. Hydroxide Gel</p>	<p>Alum. Hydroxide Magnesium, Hyd. & Simethicone</p> <p>Alupent</p> <p>Amantadine</p> <p>Amaryl</p> <p>Amibenonium Chloride</p> <p>Ambenyl</p> <p>Ambien</p> <p>Amikacin Sulfate</p> <p>Amikin</p> <p>Aminophylline</p> <p>Amiodarone</p> <p>Amitriptyline</p> <p>Amitriptyline HCL, Perphenazine</p> <p>Amlodipine/Benazepril HCL</p> <p>Amlodipine Besylate</p> <p>Amoxicillin/Clavulanate Potassium</p> <p>Amoxicillin Trihydrate</p> <p>Amphetamine, Mixed Salts*</p> <p>Amphojel</p> <p>Amphotericin B</p> <p>Ampicillin</p> <p>Amprenavir*</p> <p>Anafranil</p> <p>Anagrelide HCL</p> <p>Anastrozole</p> <p>Ancef</p> <p>Ansaid*</p> <p>Antabuse</p> <p>Antacids (most)</p> <p>Antiminth</p> <p>Antipyrine and Benzocaine</p> <p>Antivert</p> <p>Anturane</p> <p>Anzemet</p> <p>APAP</p> <p>APAP w/Codeine</p> <p>Apraclonidine</p> <p>Apresoline</p> <p>Aquamephyton</p> <p>Aramine</p> <p>Arava</p> <p>Aredia</p> <p>Aricept*</p> <p>Arimidex</p> <p>Aristocort</p> <p>Arsenic Trioxide</p> <p>Artane</p> <p>ASA</p> <p>Asparaginase</p> <p>Aspirin #</p> <p>Aspirin Chewable</p> <p>Aspirin w/Codeine</p> <p>Aspirin - long acting</p> <p>Astelin</p> <p>Atapryl</p> <p>Atarax</p> <p>Atenolol #</p> <p>Ativan</p> <p>Atorvastatin Calcium</p> <p>Atovaquone*</p> <p>Atropine</p> <p>Atropisol</p> <p>Atrovent</p> <p>Augmentin</p> <p>Auralgan</p>	<p>Auranofin</p> <p>Aurothioglucose</p> <p>Avalide*</p> <p>Avandamet</p> <p>Avandia</p> <p>Avapro*</p> <p>Avelox*</p> <p>Aventy</p> <p>Axert</p> <p>Azathioprine</p> <p>Azelastine</p> <p>Azithromycin*</p> <p>Azopt</p> <p>AZT</p> <p>Azulfidine</p> <p>B</p> <p>B-6 Tabs</p> <p>B-12 Injectable</p> <p>Bacitracin Opht. Oint.</p> <p>Bacitracin Topical Oint.</p> <p>Bacitracin, Polymyxin Opht. Oint</p> <p>Baclofen</p> <p>Bactrim</p> <p>Balsalazide Disodium</p> <p>Bay Rho-D*</p> <p>Beclomethasone Dipropionate</p> <p>Beclomethasone Dipropionate Monohydrate</p> <p>Belladonna Alkaloids w/Phenobarbital</p> <p>Benadryl</p> <p>Benazepril HCL</p> <p>Benemid</p> <p>Benicar*</p> <p>Bentyl</p> <p>Benzoyl Peroxide</p> <p>Benzotropine Mesylate</p> <p>Betapace</p> <p>Betaxolol</p> <p>Betaxolol HCL Opht. Drop</p> <p>Bethanechol Chloride</p> <p>Betimol</p> <p>Betoptic</p> <p>Bexarotene</p> <p>Biaxin*</p> <p>Biaxin XR*</p> <p>Bicalutamide</p> <p>BiCNU</p> <p>Bisacodyl Suppos.</p> <p>Bismuth Subsalicylate</p> <p>Bisoprolol Fumarate</p> <p>Bitolterol Mesylate</p> <p>Blenoxane</p> <p>Bleomycin Sulfate</p> <p>Bleph-10</p> <p>Blephamide</p> <p>Blomadren</p> <p>Bonine</p> <p>Brethaire</p> <p>Brethine</p> <p>Brevicon</p> <p>Bricanyl</p> <p>Brimonidine</p> <p>Brinzolamide</p> <p>Bromocriptine Mesylate</p>	<p>Budesonide MDI</p> <p>Budesonide Suspension*</p> <p>Bupropion HCL</p> <p>Bupropion HCL SR*</p> <p>Buspar</p> <p>Buspirone</p> <p>Busulfan</p> <p>Butalbital/Caffeine/Acetaminophen</p> <p>Butalbital/Caffeine/Aspirin</p> <p>Butenafine HCL</p> <p>Butoconazole Nitrate</p> <p>C</p> <p>Cafergot</p> <p>Cafergot PB</p> <p>Calamine Lotion</p> <p>Calan</p> <p>Calcimar</p> <p>Calcipotriene</p> <p>Calcitonin-Salmon</p> <p>Calcitriol</p> <p>Calcium Acetate</p> <p>Calcium Carbonate</p> <p>Calc. Carb. & Magnes. Carb.</p> <p>Calcium Gluconate #</p> <p>Calcium Lactate #</p> <p>Campath</p> <p>Camptosar</p> <p>Capoten</p> <p>Capecitabine</p> <p>Capozide</p> <p>Captopril</p> <p>Captopril / HCTZ</p> <p>Carafate</p> <p>Carbachol</p> <p>Carbamazepine</p> <p>Carbamazepine Extended Release</p> <p>Carbatrol</p> <p>Carbenicillin</p> <p>Carbex</p> <p>Carbidopa & Levodopa</p> <p>Carboplatin</p> <p>Cardene</p> <p>Cardizem</p> <p>Cardura</p> <p>Carisoprodol</p> <p>Carmustine</p> <p>Carteolol HCL Opht. Soln.</p> <p>Carvedilol*</p> <p>Casodex</p> <p>Catapres TTS</p> <p>Catapres</p> <p>Ceclor*</p> <p>CeeNu</p> <p>Cefaclor*</p> <p>Cefazolin Sodium</p> <p>Cefdinir*</p> <p>Cefixime*</p> <p>Cefonicid Sodium</p> <p>Cefprozil*</p> <p>Ceftazidime</p> <p>Ceftriaxone</p> <p>Cefzil*</p> <p>Celexa</p>
---	--	--	--

* Code 1 diagnosis requirement.
 # Minimum quantity requirement.

SBRHA FORMULARY LIST – May 2003

Cellcept*
 Cenestin
 Cephalexin
 Cephulac*
 Cerubidine
 Cetapred
 Chemet
 Cheracol
 Children's Advil
 Children's Motrin
 Chloral Hydrate
 Chlorambucil
 Chlordiazepoxide*
 Chloroptic
 Chloroquine - 250 mg
 Chlorpheniramine Mal.,
 Phenyleph HCL, Pot. Iodide
 and Cod.
 Chlorpromazine
 Chlorpropamide #
 Chlorthalidone #
 Chlortrimeton
 Cholestyramine
 Choline Magnesium Trisalicylate
 Ciclopirox Topical
 Cidofovir*
 Cilostazol*
 Ciloxin
 Cimetidine
 Cipro*
 Cipro XR*
 Ciprofloxacin*
 Ciprofloxacin HCL Oph. Soln.
 Ciprofloxacin HCL/HC Otic Susp.
 Cisapride*
 Cisplatin
 Citalopram HBR
 Cladribine
 Clarithromycin*
 Claritin - OTC Only
 Cleocin
 Cleocin T
 Cleocin Vag. Cream
 Climara Patches
 Clindamycin HCL
 Clindamycin Phosphate
 Clinoril
 Clofazimine
 Clomipramine HCL
 Clonazepam*
 Clonidine HCL
 Clopidogrel Bisulfate*
 Clotrimazole
 Clozapine
 Clozaril
 Coal Tar
 Codeine & Acetaminophen
 Codeine & Aspirin
 Codeine Phosphate Inj.
 Cogentin
 Colazal
 Colbenemid
 Colchicine #
 Collagenase Oint.
 Combivent
 Combivir*
 Compazine

Comtan
 Concerta*
 Condylox
 Cordarone
 Coreg*
 Corgard
 Cort-Enema
 Cortisone (inj)
 Cortisporin Otic
 Cortone
 Cosmegen
 Cosopt
 Cotazyme
 Coumadin
 Cozaar*
 Crixivan*
 Cromol
 Cromolyn Sodium
 Crotamiton
 Cuprimine
 Cutivate
 Cyanocobalamin (inj)
 Cyclobenzaprine HCL
 Cyclogyl
 Cyclopentolate
 Cyclophosphamide
 Cycloserine
 Cyclosporin*
 Cyclosporin Micro Emulsion*
 Cylert*
 Cymevez*
 Cytarabine
 Cytosar-U
 Cytotec
 Cytovene*
 Cytosan

D

D-Penicillamine
 Dacarbazine
 Dactinomycin
 Dalmane
 Dalteparin
 Dantrium
 Dantrolene Sodium
 Dapsone
 Daraprim
 Darvocet-N100
 Darvon
 Daunorubicin Cit. Liposome
 Daunorubicin HCL
 Daunoxome
 DDAVP
 Ddl*
 Decadron
 Delaviridine Mes.*
 Demerol
 Demulin
 Denileukin Diftitox
 Depakene
 Depakote
 Depakote ER
 Depen
 Depo-Provera Contraceptive
 Depo-Testadiol

Depo-Testosterone
 Dermatop
 Desipramine HCL
 Desmopressin Acetate
 Desogen
 Desogestrel & Ethinyl Estradiol
 Desyrel
 Detrol
 Detrol LA
 Dexamethasone
 Dexamethasone w/Neomycin
 Dexamethasone w/Neomycin &
 Polymyxin
 Dexamethasone w/Tobramycin
 Dexedrine*
 Dextroamphetamine/ampheta-
 mine mixture*
 Dextroamphetamine
 Saccharate*
 Dextroamphetamine Sulfate*
 DHT
 Diabeta
 Diabetic Supplies (most)
 Diabinese #
 Diamox
 Diazepam*
 Dicalcium Phosphate 500mg
 with or w/o Vit. D
 Dical-D
 Diclofenac Oph.
 Diclofenac Sodium*
 Dicloxacillin Sodium
 Dicyclomine
 Didanosine*
 Dienestrol cream
 Diflucan*
 Diflunisal*
 Digoxin #
 Dihydrochysterol
 Dilacor
 Dilantin
 Dilaudid
 Diltiazem HCL
 Dimetapp Elixir
 Diovan*
 Diovan/HCTZ*
 Diphenhydramine HCL
 Diphenoxylate HCL w/Atropine
 Sulfate
 Dipivefrin HCL Oph. Soln.
 Dipyrindamole #
 Disalcid*
 Disulfiram
 Ditropan
 Ditropan Syrup
 Ditropan XL
 Divalproex Extended Release
 Divalproex Sodium
 Docetaxel
 Docusate Sodium
 Dolasetron Mes.
 Dolobid*
 Dolophene
 Domeboro
 Donepezil HCL*
 Donnatal
 Dopar
 Dorzolamide HCL Oph. Soln.

Dorzolamide HCL and Timolol
 Maleate Oph. Soln.
 Dovonex
 Doxazosin Mesylate
 Doxepin HCL
 Doxercalciferol
 Doxil
 Doxorubicin HCL
 Doxorubicin HCL Liposome
 Doxycycline
 Doxycycline Hyclate*
 Dronabinol*
 DTIC-Dome
 Dulcolax
 Duphalac*
 Duragesic*
 DV Cream
 Dyazide 50-25 #
 Dymelor #
 Dynacirc
 Dynapen
 Dyrenium #

E

E-Mycin
 E-Pilo
 Echothiophate
 Econazole Nitrate
 Econopred (plus)
 Edecrin
 EES
 Efavirenz*
 Effexor
 Effexor SR
 Efudex
 Elavil
 Eldepryl
 Electrolytes, Oral Maint.
 Elmite
 Elixophyllin
 Ellence
 Elmiron
 Elspar
 Emcyt
 EMLA*
 Empirin w/Codeine
 Enalapril/HCTZ
 Enalapril Maleate
 Enalapril Maleate & Felodipine
 Enoxaparin Sod.
 Entacapone
 Entex PSE
 Enulose*
 Epifrin
 Epinal
 Epinephrine
 Epinephryl Borate
 Epirivir*
 Epirubicin HCL
 Epoetin Alfa*
 Epogen*
 Eppy/N
 Ergamisol
 Ergocalciferol
 Ergolid Mesylates Sublingual
 Ergonovine Maleate

* Code 1 diagnosis requirement.
 # Minimum quantity requirement.

SBRHA FORMULARY LIST – May 2003

Ergotamine Tartrate and Caffeine
 Ergotamine Tartrate w/Caffeine, Pentobarb. Sod, Belladonna Alk
 Ergotrate Maleate
 Eryped
 Erythrocin Stearate
 Erythromcin and Sulfisoxazole
 Erythromycin Oph. Oint.
 Erythromycin Base
 Erythromycin Ethylsuccinate
 Erythromycin Stearate
 Esidrix
 Eskalith
 Estinyl
 Estrace
 Estraderm
 Estradiol
 Estradiol and Noregestimate
 Estradiol and Norethindrone Acetate
 Estradiol Cypionate and Testosterone Cypionate
 Estradiol Ring
 Estradiol Transdermal
 Estramustine Phosphate
 Estratab
 Estratest
 Estratest HS
 Estring
 Estrogen, Conj. A
 Estrogens, Conjugated
 Estrogens, Conjugated w/ Medroxyprogesterone
 Estrogens, Conjugated w/Methyltestosterone
 Estrogens, Esterified
 Estrogens, Esterified w/Methyltestosterone
 Ethacrynic Acid
 Ethambutol
 Ethinyl Estradiol
 Ethionamide
 Ethosuximide
 Ethynodiol Dialstate & Ethinyl Estrad.
 Etodolac
 Etoposide
 Etoposide Phos. Inj.
 Etrafon
 Eulexin
 Eurax
 Evista*
 Exemestane
 Exelon*
 Ezetimibe*

F

Famciclovir*
 Famvir*
 Famotidine
 Fareston
 Feldene
 Felodipine
 Femara
 Fem HRT
 Femstat

Fenoprofen*
 Fentanyl*
 Fentanyl Citrate*
 Ferrous Sulfate #
 Fioricet
 Fiorinal
 Flagyl
 Flarex
 Flexeril
 Flomax
 Flonase
 Florinef
 Flovent
 Floxin*
 Floxuridine
 Flu Vaccine
 Fluconazole*
 Fludara
 Fludarabine Phosphate
 Fludrocortisone Acetate
 Flunisolide
 Fluocinolone
 Fluocinonide
 Fluonid
 Fluorometholone
 Fluoroplex
 Fluorouracil
 Fluoxetine HCL
 Fluoxymesterone
 Fluphenazine
 Flura Drops
 Flurazepam
 Flurbiprofen*
 Flutamide
 Fluticasone
 Fluticasone/Salmeterol
 Fluvastatin Sodium
 Fluvoxamine Mal.
 FML
 FML Forte
 Folic Acid #
 Foradil
 Formoterol Fumarate
 Fortaz
 Fortovase*
 Fosamax
 Foscamet Sodium*
 Foscavir*
 Fragmin
 Fudr (sterile)
 Fulvicin PG
 Furadantin
 Furazolidone
 Furosemide #
 Furoxone

G

Gabapentin
 Gabitril
 Galantamine Hydrobromide*
 Gammagard*
 Ganciclovir Sodium*
 Gantrisin
 Garamycin
 Gatifloxacin

Gemcitabine HCL
 Gemfibrozil
 Gemtuzumab Ozogamicin
 Gemzar
 Gengraf*
 Gentamicin
 Geocillin
 Geodon
 Glargine, Insulin
 Glaucon Solution
 Glauc Tabs
 Gleevec
 Glimepiride
 Glipizide
 Glucagon
 Glucophage
 Glucophage XR
 Glucotrol
 Glucotrol XL
 Glucovance
 Glyburide
 Glyburide Micronized
 Glycopyrrolate
 Glynase Pres-tab
 Glyset
 Go LYTELY
 Gold Sodium Thiomalate
 Goserelein Acetate
 Granisetron HCL
 Grisactin Ultra
 Griseofulvin
 Gris-Peg
 Guaifenesin
 Guaifenesin LA
 Guaifenesin w/Codeine
 Guaifenesin Pseudo-LA
 Guanabenz Acetate
 Guarfacine HCL
 Gyne-Lotrimin

H

Halcion
 Haldol
 Haloperidol
 Halotestin
 Hectorol
 Heparin
 Herceptin
 Hexalen
 Hiprex
 Hivid*
 Homatropine
 Humabid LA
 Humatin
 Humalog
 Hyaluronidase
 Hycamtin
 Hydralazine
 Hydrea
 Hydrochlorothiazide #
 Hydrocodone / APAP
 Hydrocodone / APAP ES
 Hydrocortisone
 Hydrocortisone Acetate w/Pramoxine
 Hydrocortisone w/Polymyxin B

Hydrocortisone w/Polymyxin B and Neomycin
 Hydrocortisone Rectal Foam Aerosol
 Hydrocortone
 Hydrodiuril #
 Hydromorphone
 Hydroxychloroquine
 Hydroxyurea
 Hydroxyzine HCL
 Hydroxyzine Pamoate
 Hygroton #
 Hytrin
 Hyzaar*

I

Ibuprofen
 Ifosfamide w/Mesria
 Iliotycin Oph. Oint.
 Imatinib Mesylate
 Imdur
 Imipramine
 Imiquimod
 Imitrex
 Immune Globulin, IV*
 Immune Globulin Rho(D), IV*
 Imuran
 Indapamide
 Inderal #
 Inderal L.A.
 Indinavir Sulfate*
 Indocin
 Indomethacin
 Indomethacin ER
 Infergen*
 Inflammase (Forte)
 Influenza Virus Vac.
 INH
 Innohep
 Insulin
 Insulin (human)
 Insulin, Lispro (rDNA Orig.)
 Intal
 Interferon Alpha 2A
 Interferon Alpha 2B
 Interferon Alphacon-1*
 Intravenous Solutions*
 Intron A
 Invirase*
 Iopidine
 Ipratropium Bromide
 Ipratropium Br & Albuterol
 Irbesartan*
 Irbesartan HCTZ*
 Irinotecan HCL
 Iron Dextran Injection
 Isoetharine HCL
 Isometheptene
 Dichloralphenazoe Apap
 Isoniazid
 Isoptin-SR
 Isopto Atropine
 Isopto Carbachol
 Isopto Carpine
 Isopto Cetamide
 Isopto Cetapred

* Code 1 diagnosis requirement.
 # Minimum quantity requirement.

SBRHA FORMULARY LIST – May 2003

Isopto Homatropine
 Isopto Hyoscine
 Isordil #
 Isordil Titradose
 Isosorbide Dinitrate #
 Isosorbide Mononitrate
 Isradipine
 Iveegam*
 Itraconazole*

K

Kaletra*
 Kanamycin Sulfate Inj.
 Kantrex Inj.
 Karidium
 Kay Ciel
 Keflex
 Kemadrin
 Kenalog
 Keppra
 Kerlone
 Ketoconazole
 Ketoprofen*
 Ketorolac Trometh. Oph. Soln.
 Ketotifen Fumarate
 Klonopin*
 Konakion
 Kytril

L

Labetalol HCL
 Lactulose*
 Lamictal
 Lamivudine*
 Lamivudine & Zidovudine*
 Lamotrigine
 Lamprane
 Lanoxin #
 Lansoprazole
 Lantus
 Larodopa
 Lasix #
 Latanoprost
 LCD Solution
 Leflunomide
 Lescol
 Letrozole
 Leucovorin Calcium
 Leukeran
 Leuprolide Acetate*
 Leustatin
 Levalbuterol HCL
 Levamisole HCL
 Levaquin
 Levatol
 Levetiracetam
 Levlen
 Levlite
 Levocabastine HCL Oph. Soln.
 Levocarnitine
 Levodopa
 Levofloxacin
 Levofloxacin Oph. Sol.
 Levonorgestrel & Ethinyl
 Estradiol

Levo-Dromoran
 Levora
 Levorphanol Tartrate
 Levothyroxine Sodium #
 Levoxyl #
 Lexxel
 Librium*
 Lidex
 Lidocaine HCL
 Lidocaine/Prilocaine*
 Linezolid*
 Lioresal
 Lipitor
 Liquaemin
 Liquor Carbonis Detergens
 Lisinopril
 Lisinopril HCT
 Lithane
 Lithium Carbonate
 Lithium Citrate
 Lithobid
 Lithonate
 Livostin
 Lodine
 Lo/ovral
 Lodoxamide Oph. Soln.
 Lomotil
 Lomustine
 Lopid
 Lopinavir & Ritonavir*
 Lopressor
 Loprox
 Lorazepam
 Losartan*
 Losartan w/ HCTZ*
 Lotensin
 Loteprednole Etabonate
 Lotrel
 Lotrimin
 Lovastatin
 Lovenox
 Loxapine
 Loxitane
 Lozol
 Luminal
 Lunelle
 Lupron*
 Luride #
 Luvox
 Lysodren

M

Maalox Reg. & Ex. Str.
 Macrobid
 Macrochantin
 Malathion
 Mandelamine
 Marinol*
 Matulane
 Mavik
 Maxair
 Maxair Autoinhaler
 Maxalt
 Maxalt MLT
 Maxidex

Maxitrol
 Maxzide
 Mebendazole
 Mechlorethamine HCL
 Meclizine HCL
 Medroxyprogesterone Acetate
 Medroxyprogesterone
 Acetate/Estradiol
 Megace
 Megesterol Acetate
 Mellaril
 Melphalan
 Menest
 Mentax
 Meperidine HCL
 Mephyton
 Mepron*
 Mercaptopurine
 Mesoridazine
 Mestinon
 Metaproterenol
 Metformin Extended Release
 Metformin HCL
 Metformin & Glyburide
 Metformin/rosiglitazone
 Methadone
 Methazolamide
 Methenamine Hippurate
 Methenamine Mandelate
 Methergine
 Methimazole
 Methocarbamol
 Methotrexate
 Methyldopa
 Methyldopa w/HCTZ
 Methylergonovine Maleate
 Methylphenidate HCL Immediate
 and SR*
 Methylphenidate ER*
 Methyltestosterone
 Meticorten
 Metimyd
 Metipranolol HCL
 Metoclopramide HCL
 Metrogel
 Metolazone
 Metoprolol Succinate*
 Metoprolol Tartrate
 Metronidazole
 Mevacor
 Mexiletine HCL
 Mexitil
 Miacalcin
 Miconazole Nitrate
 Micronase
 Micronor
 Midrin
 Miglitol
 Minipress
 Mintezol
 Mirapex
 Mircette
 Mirtazapine
 Misoprostol
 Mithracin
 Mitomycin
 Mitotane

Mitoxantrone*
 Moban
 Moexipril HCL
 Moexipril/HCTZ
 Molindone HCL
 Mometasone Furoate Nasal
 Spray
 Monistat-3
 Monistat Derm
 Monistat Dual-Pak
 Monocid
 Montelukast Sod.*
 Morphine Sulfate
 Motrin
 Moxifloxacin*
 Mucormyst
 Multivitamins w/F & Iron
 Mustargen
 Mutamycin
 Myambutol
 Mycelex Troches
 Mycelex-G
 Mycobutin*
 Mycolog
 Mycophenolate Mofetil*
 Mycostatin
 Mydracyl
 Mylanta
 Myleran
 Mylotarg
 Mysoline
 Mytelase Chloride

N

Nabumetone*
 Nafcillin
 Naldolol
 Nalfon*
 Nalidixic Acid
 Nallpen
 Naphazoline HCL
 Naphazoline HCL & Antazoline
 Phos. Oph. Soln.
 Naphcon Forte
 Naprosyn
 Naproxen
 Nasacort AQ
 Nasonex
 Natacyn
 Natamycin
 Nateglinide
 Navane
 Navelbine
 NebuPent*
 Nefazodone HCL
 Neg Gram
 Nelfinavir Mes.*
 Nembutal Sup.
 Neo Decadron
 Neomycin
 Neomycin, Bacitracin and
 Polymyxin
 Neomycin and Polymyxin
 Neomycin, Polymyxin and
 Gramicidin
 Neoral*

* Code 1 diagnosis requirement.
 # Minimum quantity requirement.

SBRHA FORMULARY LIST – May 2003

Purinethol
 Pyrantel Pamoate (Liq.)
 Pyrazinamide
 Pyrethrins Liquid
 Pyridium
 Pyridostigmine
 Pyridoxine
 Pyrimethamine

Q

Questran
 Questran Light
 Quetiapine Fumarate
 Quinaglute
 Quinapril HCL
 Quinidine Gluconate
 Quinidine Sulfate
 Quinine #
 Quinine Sulfate #
 Quixin
 QVAR

R

Raloxifene HCL*
 Ramipril
 Ranitidine
 Rebretron*
 Reglan
 Relafen*
 Relenza*
 Remeron
 Reminyl*
 Renacidin
 Renage1*
 Renal Vitamin-Iron Formulas*
 Repaglinide
 Requip
 Rescriptor*
 Rescula
 Restoril
 RetinA*
 Retrovir*
 Ribavirin & Interferon Alfa 2B*
 Rid
 Ridaura
 Rifabutin*
 Rifadin
 Rifamate
 Rifampin
 Rifampin and Isoniazid
 Rifampin, Isoniazid and Pyrazinamide
 Rifapentine
 Rifater
 Rilutek*
 Riluzole*
 Rimactane
 Rimexolone Ophth. Susp.
 Risedronate Sod.*
 Risperdal
 Risperidone
 Ritalin*
 Ritalin SR*
 Ritodrine HCL Inj.
 Ritonavir*
 Rituxan

Rituximab Inj.
 Rivastigmine*
 Rizatriptan
 Robaxin
 Robinul
 Robinul Forte
 Robitussin
 Robitussin AC
 Robitussin CF
 Robitussin DM
 Robitussin PE
 Rocaltrol
 Rocephin
 Roferon-A
 Ropinirole HCL
 Rosiglitazone Mal.
 Roxicodone
 Rubex

S

Salmeterol Xinafoate
 Salsalate*
 Salsitab*
 Sandimmune*
 Sandoglobulin*
 Saquinavir*
 Saquinavir Mesylate*
 Scopolamine HBr Ophth.
 Sectral
 Selegiline HCL
 Selenium Sulfide
 Septra
 Serentil
 Serevent
 Seromycin
 Seroquel
 Serostim*
 Sertraline
 Serzone
 Sevelamer HCL*
 Silvadene
 Silver Sulfadiazine
 Sinemet
 Sinemet SR
 Sinequan
 Singulair*
 SMZ/TMP
 Sodium Chloride Inj.*
 Sodium Chloride Inhal. Solution
 Sodium Chloride Irrig. Solution
 Sodium Fluoride #
 Soma
 Somatropin* (rDNA origin)
 Sonata*
 Sorbitrate
 Sotalol HCL
 Spectazole
 Spironolactone #
 Spironolactone w/HCTZ
 Sporanox*
 SSKI
 Starlix
 Stavudine*
 Stelazine
 Stimate
 Streptomycin

Streptozocin
 Succimer
 Sucralfate
 Sudafed
 Sulamyd
 Sular
 Sulfacetamide Sodium
 Sulfadiazine
 Sulfasalazine
 Sulfathiazole, Sulfacetamide, Sulfabenzamide
 Sulfapyrazone
 Sulfisoxazole
 Sulindac
 Sultrin
 Sumatriptan Succinate
 Suprax*
 Sustiva*
 Symmetrel
 Synalar
 Synthroid #

T

Tagamet
 Tamiflu*
 Tamoxifen Citrate
 Tamsulesin
 Tapazole
 Targretin
 Tasmar
 Taxol
 Taxotere
 Tazarotene*
 Tazicef
 Tazidime
 Tazorac*
 Tegretol
 Tegretol XR
 Temazepam
 Temodar
 Temozolomide
 Tenex
 Teniposide Inj.
 Tenofovir Disoproxil*
 Tenormin #
 Tequin
 Terazol
 Terazolin HCL
 Terbutaline
 Terconazole
 Teslac
 Testolactone
 Testosterone
 Tetracycline
 Theophylline
 Thiabendazole
 Thiamine HCL Inj.
 Thioguanine
 Thioplex
 Thioridazine
 Thiotepa
 Thiothixene
 Thorazine
 Thyroid Replacement#
 Tiagabine HCL
 Tiazac

Timolol Hemihydrate Ophth. Soln.
 Timolol Maleate
 Timoptic
 Tinactin
 Tinzaparin Sodium
 Tobradex
 Tobramycin Inj.
 Tobrex Eyedrops
 Tofranil
 Tolazamide
 Tolbutamide #
 Tolcapone
 Tolectin
 Tolinase
 Tolmetin
 Tolnaftate
 Tolterodine Tartrate
 Topotecan HCL
 Toprol XL*
 Toremifene Citrate
 Tomalate
 Tramadol HCL
 Trandate
 Trandolapril
 Tranlycypromine
 Trastuzumab
 Travatan
 Travoprost Ophth. Sol.
 Trazodone
 Trecator SC
 Trelstar
 Trental
 Tretinoin*
 Triamcinolone
 Triaminic
 Triamterene #
 Triamterene w/HCTZ #
 Triavil
 Triazolam
 Triethylenethiophos-phoramidate
 Trifluoperazine
 Trifluridine Ophth.
 Trihexyphenidyl HCL
 Trilafon
 Trileptal
 Trilisate
 Trimethoprim
 Trimethoprim/Polymyxin Ophth. Soln.
 Trimethoprim and Sulfamethoxazole
 Trimetrexate Glucuronate
 Trimox
 Trimpex
 Triphasil
 Triprolidine HCL /PSE w/Codeine
 Triptorelin Pamoate
 Trisenox
 Tri-vi-sol* #
 Trivora
 Trizivir*
 Tropicamide
 Trusopt
 Tylenol
 Tylenol w/Codeine

* Code 1 diagnosis requirement.
 # Minimum quantity requirement.

SBRHA FORMULARY LIST – May 2003

Tyloxapol w/Benzalkonium
Chloride Oph.

U

Ultram
Uniretic
Univasc
Unoprostone Isopropyl Oph.
Uracil Mustard
Urecholine
Urex
Ursodiol

V

Vagifem
Valium*
Valacyclovir HCL*
Valganciclovir HCL*
Valproic Acid
Valrubicin
Valsartan*
Valsartan HCTZ*
Valstar
Valtrex*
Vancenase
Vancenase AQ
Vanceril
Vancomycin
Vaseretic
Vasocidin
Vasocon
Vasocon-A
Vasotec
Veetids
Velban
Venlafaxine HCL
Ventolin
VePesid
Verapamil HCL
Vercyte
Vermox
Vesanoid
Vexol
Vibramycin
Vicodin
Vicoden ES
Vi-Daylin*
Videx*
Vinblastine Sulfate
Vincristine Sulfate
Vinorelbine Tartrate
Viokase
Viracept*
Viramune*
Viread*
Viroptic
Visken
Vistaril
Vistide*
Vitamins ADC* #
Vitamins ADC & F* #

Vitamins ADC, w/F & Iron
Vitamins ADC w/Iron*
Vitamin B-1 Inj.
Vitamin B-12 inj
Vitamin B-6
Vitamin D
Vitamins Prenatal*
Vivactil
Voltaren EC Tabs*
Voltaren Oph.
Vosol
Vosol-HC Otic
Vumon

W

Warfarin Sodium
Water for Injection
Wellbutrin
Wellbutrin SR*
Wigraine
Wydase
Wytensin

X

Xalatan
Xeloda

Y

Yutopar Inj.

Z

Zaditor
Zafirlukast
Zalcitabine*
Zaleplon*
Zanamivir*
Zanosar
Zantac
Zarontin
Zaroxolyn
Zebeta
Zerit*
Zestril
Zetia*
Ziagen*
Zidovudine*
Ziprasidone
Zithromax*
Zofran
Zofran ODT
Zoladex
Zoloft
Zolpidem Tartrate
Zonegran
Zonisamide
Zovirax*
Zyban*
Zyloprim
Zyprexa
Zyvox*

* Code 1 diagnosis requirement.
Minimum quantity requirement.

CODE 1 DEFINITIONS OF RESTRICTIONS

Effective May 2003

Generic (TRADE) Name

Abacavir (ZIAGEN)	restricted to use in treatment of HIV disease
Abacavir/Lamivudine/Zidovudine (TRIZIVIR)	restricted to use in treatment of HIV disease
Acyclovir (ZOVIRAX)	restricted to use in treatment of 1) Genital Herpes (HS II) 2) Immunocompromised patients 3) Shingles (Herpes Zoster)
Alitretinoin (PANRETIN)	restricted to use in the treatment of cutaneous lesions of Kaposi's Sarcoma in AIDS pts
Amphetamine, Mixed Salts (ADDERAL)	restricted to a diagnosis of Attention Deficit Disorder 1) May dispense qty of 90 for patients age \leq 18 years
Amprenavir (AGENERASE)	restricted to use in treatment of HIV disease
Atovaquone (MEPRON)	for use only in treatment or prevention of Pneumocystis pneumonia in patients who are intolerant of trimethoprim-sulfamethoxazole
Azithromycin (ZITHROMAX)	1) 600 mg tablets restricted to use in prevention of Mycobacterium infections 2) Suspension 200mg/5cc restricted to < 8 yrs old, or failure of a trial of first line Antibiotic at any age
Budesonide Suspension (PULMICORT RESPULES)	Restricted to use in children < 8 yrs of age
Bupropion SR for smoking cessation (ZYBAN)	pharmacy needs to have a letter or certificate of enrollment verify that the pt is in a behavioral modification smoking cessation program

CODE 1-DEFINITIONS OF RESTRICTIONS – May 2003

Carvedilol (Coreg)	restricted to having CHF
Cefaclor (CECLOR)	for use only in pts> 50 yrs old with lower respiratory tract infections (RTI)
Cefdinir (OMNICEF)	restricted to use in pts< 8 yrs old
Cefixime (SUPRAX)	1) liquid: for use only in pts< 8 yrs old with OM 2) tablet: restricted to the use in treatment of Neisseria gonorrhoeae
Cefprozil (CEFZIL)	restricted for use in pts< 8 yrs of age
Chlordiazepoxide (LIBRIUM)	for use only in treatment of alcoholism
Cidofovir (VISTIDE)	restricted to use in treatment of HIV disease
Cilostazol (PLETAL)	1) for use in pts> 65 yrs of age diagnosed with intermittent claudication 2) for diabetic pts of any age with intermittent claudication
Ciprofloxacin (CIPRO)	for use in the treatment of: 1) pts> 50 yrs old with lower RTI 2) osteomyelitis 3) pulmonary exacerbations in pts with Cystic Fibrosis 4) Urinary tract infections (UTI)
Ciprofloxacin Extended release (CIPRO XR)	restricted to use in uncomplicated urinary tract infection
Clarithromycin (BIAXIN)	restricted to: 1) infections caused by Mycobacterium 2) Active duodenal ulcer associated with Helicobacter Pylori
Clonazepam (KLONOPIN)	restricted to the diagnoses of schizophrenia or seizures
Clopidogrel Bisulfate (PLAVIX)	limited to treatment of pts with documented atherosclerosis such as recent strokes, MI or established peripheral vascular disease

CODE 1-DEFINITIONS OF RESTRICTIONS – May 2003

Cyclosporine (NEORAL, & SANDIMMUNE)	restricted to use for organ transplant
Delaviridine Mesylate (RESCRIPTOR)	restricted to use in the treatment of HIV disease
Dextroamphetamine Sulfate (DEXEDRINE)	restricted to the diagnosis of ADD 1) May dispense qty of 90 for patients age \leq 18 years
Diazepam (VALIUM)	restricted to use in Cerebral Palsy, Athetoid states or spinal cord degeneration
Diclofenac Sodium (VOLTAREN)	restricted to use for arthritis
Didanosine (VIDEX, Ddl)	restricted to use in the treatment of HIV disease
Diflunisal (DOLOBID)	restricted to use for arthritis
Donepezil HCl (ARICEPT)	restricted to treatment of mild to moderate dementia of the Alzheimer's type
Doxycycline Hyclate (PERIOSTAT)	20mg tablet or capsule is restricted for use as an adjunct therapy to aggressive local dental measures in adults with peridontitis
Dronabinol (MARINOL)	restricted to use in the treatment of anorexia associated with weight loss in pts with AIDS
Efavirenz (SUSTIVA)	restricted to use in the treatment of HIV disease disease
Epoetin alfa (EPOGEN or PROCRIT)	for use in the treatment of anemia due to: 1) Zidovudine therapy 2) cancer chemotherapy 3) or chronic renal failure
Ezetimibe (Zetia)	restricted to must be on a HMG-CoA reductase inhibitor ("statin" therapy)
Famciclovir (FAMVIR)	restricted for use to: 1) Genital Herpes 2) Shingles (Herpes Zoster) 3) Herpes Simplex infection in HIV pt
Fenoprofen (NALFON)	restricted to use for arthritis

CODE 1-DEFINITIONS OF RESTRICTIONS – May 2003

Fentanyl, transdermal (DURAGESIC)	restricted for use in cancer patients with chronic severe pain
Fentanyl Citrate Transmucosal,oral (ACTIQ)	restricted to use in pts with breakthrough pain who are tolerant to opioid therapy
Fluconazole (DIFLUCAN)	1) Cancer and HIV patients 2) for the treatment of vaginal candidiasis 3) treatment of Coccidioides Immitis infections
Flurbiprofen (ANSAID)	restricted to use for arthritis
Foscarnet Sodium (FOSCAVIR)	restricted to use in treatment of HIV disease
Galantamine Hydrobromide (REMINYL)	restricted to treatment of mild to moderate dementia of of the Alzheimer's type
Ganciclovir (CYTOVENE)	restricted to use in treatment of AIDS related conditions
Immune Globulin (GAMMAGARD, IVEEGAM, SANDOGLOBULIN)	for use only in the pediatric population (<13) with HIV disease
Immune Globulin Rh ₀ (BAYRHO-D)	restricted for use in the treatment of ITP secondary to HIV disease
Indinavir Sulfate (CRIXIVAN)	restricted to use in the treatment of HIV disease
Interferon alfacon-1 (INFERGEN)	restricted to use in the treatment of chronic hepatitis C infection
Irbesartan (Avapro)	must have failed 2 formulary ACEI except cough
Irbesartan HCTZ (Avalide)	must have failed 2 formulary ACEI except cough
Itraconazole (SPORANOX)	restricted to use in patients with an AIDS related condition
Ketoprofen (ORUDIS)	restricted to use for arthritis
Lactulose (CEPHULAC, DUPHALAC, ENULOSE)	restricted to treatment of liver disease

CODE 1-DEFINITIONS OF RESTRICTIONS – May 2003

Lamivudine (EPIVIR)	restricted to use in the treatment of HIV disease
Lamivudine, & Zidovudine (COMBIVIR)	restricted to use in the treatment of HIV disease
Leuprolide Acetate (LUPRON)	only for use in treatment of cancer
Lidocaine/Prilocaine (EMLA)	restricted for use in patients < 21 yrs of age and require a needle procedure
Linezolid (ZYVOX)	may only be used following discharge from inpt. hospitalization when pt was on Linezolid or Quinupristin/Dalopriston immediately prior to discharge. Max of a 21 day supply
Lopinavir & Ritonavir (KALETRA)	restricted to use in the treatment of HIV disease
Losartan (Cozaar)	Must have failed 2 formulary ACEI except cough
Losartan HCTZ (Hyzaar)	Must have failed 2 formulary ACEI except cough
Methylphenidate HCL immediate & sustained release (RITALIN)	restricted for use in Attention Deficit Disorder. 1) May dispense qty of 90 for patients age \leq 18 years
Methylphenidate HCL extended release (CONCERTA)	restricted for use in Attention Deficit Disorder 1) May dispense qty of 90 for patients age \leq 18 years
Metoprolol succinate (Toprol XL)	restricted to having CHF
Mitoxantrone (NOVANTRONE)	restricted to use in the treatment of Cancer
Montelukast (Singular)	restricted to use for asthma only (Allergic rhinitis requires a MRF)
Moxifloxacin (AVELOX)	restricted to use in pts > 50 yrs old with lower respiratory tract infection
Mycophenolate Mofetil (CELLCEPT)	for use in renal and cardiac transplant patients
Nabumetone (RELAFEN)	restricted to use for arthritis

CODE 1-DEFINITIONS OF RESTRICTIONS – May 2003

Nelfinavir Mesylate (VIRACEPT)	restricted to use in the treatment of HIV disease
Nevirapine (VIRAMUNE)	restricted to use in the treatment of HIV disease
Nicotine Patch (NICOTROL & NICODERM)	For each 6 week period, the pharmacy needs a certificate of enrollment for the patient from a behavioral modification smoking cessation program. Originally, NICOTROL 15 mg/16 hrs by McNeil was the only patch covered. However, due to shortages, NICODERM is also now covered until such time as NICOTROL is again readily available.
Ofloxacin (FLOXIN)	limited to use in the treatment of sexually transmitted diseases
Olmesartan (Benicar)	Must have failed 2 formulary ACEI except cough
Oseltamivir Phosphate (TAMIFLU)	restricted to use in the treatment of acute influenza viral infection in patients at high risk of complications who also have underlying airway disease or are incapable of using an inhaler device, and have been sick for < 2 days
Oxandrolone (OXANDRIN)	restricted to use in patients with AIDS related wasting
Pantoprazole (PROTONIX)	Limited to use for 90 days from the date of first dispensing
Paroxetine (PAXIL)	restricted to use for Social Anxiety Disorder
Pemoline (CYLERT)	restricted to a diagnosis of Attention Deficit Disorder
Pentamidine Powder (NEBUPENT)	restricted to the prevention of PCP (Pneumocystis pneumonia) if the pt is also infected with HIV and has a previous history of PCP or T4 < 200
Prenatal Vitamins	restricted to women with confirmed positive pregnancy test, and may be continued for 90 days post-partum
Protein Bars (REGAIN & SUPPLICAL)	restricted to pts on peritoneal dialysis with low albumins

CODE 1-DEFINITIONS OF RESTRICTIONS – May 2003

Raloxifene (EVISTA)	restricted to use in the prevention of osteoporosis in post-menopausal women. An MRF is required if being used for treatment of osteoporosis as opposed to prevention
Renal Vitamins w/Iron	restricted to use for pts with renal disease
Ribavirin & Interferon (REBETRON)	restricted to use in the treatment of Hepatitis C
Rifabutin (MYCOBUTIN)	restricted to use in the prevention of MAC (Mycobacterium Avium Complex) disease in pts with advanced HIV
Riluzole (RILUTEK)	restricted to use in the treatment of ALS (Amyotrophic Lateral Sclerosis)
Ritonavir (NORVIR)	restricted to use in the treatment of HIV disease
Rivastigmine Tartrate (EXELON)	restricted to treatment of mild to moderate dementia of the Alzheimer's type
Salsalate (DISALCID, SALSITAB)	restricted to use in arthritis
Saquinavir (FORTOVASE)	restricted to use in the treatment of HIV disease
Saquinavir Mesylate (INVIRASE)	restricted to use in the treatment of HIV disease
Sevelamer HCl (RENAGEL)	restricted to use in treatment of patients with end-stage renal disease on dialysis
Sodium Chloride injection Somatropin (rDNA origin) (SEROSTIM)	limited to use in combination with Heparin lock flush solution for flushing intravenous equipment restricted to use in the treatment of pts wasting from AIDS or with AIDS associated cachexia
Stavudine (ZERIT)	restricted to use in the treatment of HIV disease

CODE 1-DEFINITIONS OF RESTRICTIONS – May 2003

Tazarotene (TAZORAC)	restricted to use in the treatment of Psoriasis
Tenofovir Disoproxil Fumerate (VIREAD)	restricted to use in treatment of HIV disease
Tretinoin (RETIN-A)	for use in acne
Valacyclovir HCl (VALTREX)	restricted to use in genital Herpes (HSV II) and shingles (Herpes Zoster)
Valganciclovir HCL (VALCYTE)	restricted to use in the treatment of AIDS & AIDS-related conditions
Valsartan (Diovan)	Must have failed 2 formulary ACEI except cough
Valsartan HCTZ (Diovan HCT)	Must have failed 2 formulary ACEI except cough
Vitamins ADC with or without Fluoride or Iron (TRI-VI-SOL, VI-DAYLIN)	mitted to use in children < 5 years of age
Zalcitabine (HIVID)	restricted to use in the treatment of HIV disease
Zaleplon (SONATA)	restricted to use in the treatment of insomnia
Zanamivir (RELENZA)	restricted to use in the treatment of acute illness (< 2 days duration of symptoms) due to Influenza virus in pts at high risk of complications from influenza. An MFR is required if intended use is for the prevention of influenza after exposure
Zidovudine (RETROVIR, AZT)	estricted to use in the treatment of HIV disease

QUANTITY LIMITS

Exceptions to the maximum 30-day supply:

A) As of May 1, 2002, the following medications are exempt from the above limit and may be dispensed as 100 tablets/capsules or a 30-day supply, *whichever is greater*. If the medication listed comes in more than one formulation, the 100-quantity limit applies only to the tablet or capsules and not to liquid formulations. These drugs are also designated on the Formulary by a # sign next to the listing.

- | | |
|--------------------------|--------------------------------------|
| 1. Acetazolamide | 16. Isosorbide Dinitrate |
| 2. Aspirin | 17. Levothyroxine |
| 3. Atenolol | 18. Nitroglycerin S.L. |
| 4. Calcium Gluconate | 19. Potassium Chloride |
| 5. Calcium Lactate | 20. Prenatal Vitamins |
| 6. Chlorpropamide | 21. Propranolol |
| 7. Chlorthalidone | 22. Quinine Sulfate |
| 8. Colchicine | 23. Sodium Fluoride |
| 9. Colchicine-Probenecid | 24. Spironolactone |
| 10. Digoxin | 25. Thyroid tablets |
| 11. Dipyridamole | 26. Tolbutamide |
| 12. Ferrous Sulfate | 27. Triamterene |
| 13. Folic Acid | 28. Triamterene/HCTZ |
| 14. Furosemide | 29. Vitamins ADC w/ & w/out Fluoride |
| 15. Hydrochlorothiazide | |

In accordance with CCR, Title 22, Section 51513 (b) (2), pharmacy claims for less than 100 tablets/capsules of the drugs listed above shall be paid at the ingredient cost only. Exceptions are with the initial prescription, or when prior authorization is obtained, or if the patient is in a skilled nursing or intermediate care facility.